

## Limitations of nearest-neighbor quantum networks

Hahn, F.; Dahlberg, A.; Eisert, J.; Pappa, A.

**DOI**

[10.1103/PhysRevA.106.L010401](https://doi.org/10.1103/PhysRevA.106.L010401)

**Publication date**

2022

**Document Version**

Final published version

**Published in**

Physical Review A

**Citation (APA)**

Hahn, F., Dahlberg, A., Eisert, J., & Pappa, A. (2022). Limitations of nearest-neighbor quantum networks. *Physical Review A*, 106(1), Article L010401. <https://doi.org/10.1103/PhysRevA.106.L010401>

**Important note**



To cite this publication, please use the final published version (if applicable). Please check the document version above.

**Copyright**

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

**Takedown policy**

Please contact us and provide details if you believe this document breaches copyrights. We will remove access to the work immediately and investigate your claim.

**Limitations of nearest-neighbor quantum networks**F. Hahn <sup>1,2</sup>, A. Dahlberg,<sup>3</sup> J. Eisert,<sup>1,4</sup> and A. Pappa <sup>5,6</sup><sup>1</sup>*Dahlem Center for Complex Quantum Systems, Freie Universität Berlin, 14195 Berlin, Germany*<sup>2</sup>*Department of Electrical Engineering and Computer Science Technische Universität Berlin, 10587 Berlin, Germany*<sup>3</sup>*QuTech, TU Delft, 2628CJ Delft, The Netherlands*<sup>4</sup>*Fraunhofer Heinrich Hertz Institute, 10587 Berlin, Germany*<sup>5</sup>*Department of Electrical Engineering and Computer Science, Technische Universität Berlin, 10587 Berlin, Germany*<sup>6</sup>*Fraunhofer Institute for Open Communication Systems-FOKUS, 10589 Berlin, Germany*

(Received 23 February 2022; accepted 14 June 2022; published 5 July 2022)

Quantum communication research has in recent years shifted to include multipartite networks for which questions of quantum network routing naturally emerge. To understand the potential for multipartite routing, we focus on the most promising architectures for future quantum networks—those connecting nodes close to each other. Nearest-neighbor networks, such as rings, lines, and grids, have been studied under different communication scenarios to facilitate the sharing of quantum resources especially in the presence of bottlenecks. We analyze the potential of nearest-neighbor entangling gate quantum networks and identify some serious limitations by demonstrating that rings and lines cannot overcome common bottleneck communication problems.

DOI: [10.1103/PhysRevA.106.L010401](https://doi.org/10.1103/PhysRevA.106.L010401)**I. INTRODUCTION**

The idea of communication in multipartite quantum networks beyond point-to-point quantum key distribution has gained substantial momentum in recent years. Such applications suggest that it should be possible to distribute quantum data stably over a wide area [1–6]. In this context, new and challenging questions of how to pursue routing and quantum network coding arise [7–10].

A key multipartite feature is the promise to solve communication bottlenecks in quantum networks. The best known and practically motivated example is perhaps the butterfly network [11–13] where two pairs of nodes intend to send quantum messages between them bypassing the existing bottleneck in the network. To understand the potential and limitations of quantum network coding, a sound level of abstraction to discuss such delicate challenges is to capture the quantum state as a *graph state* [6,14–18].

But what is the underlying property that enables bypassing existing bottlenecks in the network? In the case of the butterfly cluster state, an instance of a graph state,  $X$  measurements on the two “additional” nodes lead to the creation of two crossing maximally entangled pairs that enable further quantum communication via teleportation. This is equivalent to a more widely applicable technique that uses graph transformations called *local complementations* (LCs). As shown in Ref. [6], LCs can reveal “hidden” properties of the shared graph state and allow us to optimize the quantum resources available.

It is generally more common to have a bottleneck in sparse networks where the connectivity between the different nodes is limited. A particular case of sparse networks that is of great importance for quantum communication is that of nearest-neighbor architectures. Such networks allow quantum

information to travel only over short distances and, therefore, aim to minimize the noise and losses in the transmission. The butterfly network is one of the smallest instances of a grid network, whereas other common nearest-neighbor architectures are lines and rings. However, except for the case of the butterfly and related examples [11,19], not much is known to date about what is possible in these types of network architectures.

In this Letter, we examine in detail whether we can extend the prominent example of the butterfly network to other nearest-neighbor architectures. We specifically ask whether simultaneous communication of two pairs of nodes is possible in bottleneck scenarios when the underlying architecture is a ring or a line. We conclude that these nearest-neighbor networks are unsuitable for bypassing bottlenecks, and a long-distance communication link is required. Finally, our techniques can find application to more general network topologies and bottleneck settings.

**II. METHODS**

Throughout this Letter, we stay in the framework where quantum systems held by the respective parties of the network are qubits and are—on a level of abstraction—seen as being in pure quantum states. The connectivity pattern of the network is captured by a suitable graph, following the mindset of Refs. [6,16–18]. A graph  $G = (V, E)$  consists of a finite set of vertices  $V \subseteq \mathbb{N}$  and of edges  $E \subseteq VV$ . We consider *simple* graphs that neither contain edges connecting a vertex to itself nor multiple edges between the same pair of vertices. The set of vertices sharing an edge with vertex  $v$  is called its *neighborhood* and denoted as  $N_v$ . The graph’s adjacency

matrix is

$$(\Gamma_G)_{i,j} := \begin{cases} 1, & \text{if } (i, j) \in E, \\ 0, & \text{if } (i, j) \notin E. \end{cases} \quad (1)$$

A *graph state* vector [14]  $|G\rangle$  is defined by  $|V|$  qubits in  $|+\rangle := (|0\rangle + |1\rangle)/\sqrt{2}$  entangled via CZ gates for each edge,

$$|G\rangle := \prod_{(i,j) \in E} CZ_{i,j}|+\rangle^{\otimes |V|}. \quad (2)$$

The CZ gates could be implemented between neighboring spin systems via traveling photons [20–23]. Physically important are *local Clifford* operations, i.e., local unitaries from the single-qubit Clifford group. Such operations on a graph state are interestingly reflected by simple transformations of the respective graph, namely, local complementations [14,24]. We define the following.

**Definition 1 (Local complementation).** A graph  $G=(V, E)$  and vertex  $v \in V$  define a locally complemented graph  $\tau_v(G)$  with adjacency matrix,

$$\Gamma_{\tau_v(G)} := \Gamma_G + \Theta_v \pmod{2}, \quad (3)$$

where  $\Theta_v$  is the complete graph of the neighborhood  $N_v$ .

The graph state vector obtained from local complementation with respect to node  $v$  of graph  $G$  is defined by  $|\tau_v(G)\rangle := U_v^\tau |G\rangle$ , where  $U_v^\tau := (-iX_v)^{1/2} (iZ_{N_v})^{1/2}$ . Deciding whether or not two graphs can be transformed into each other via sequential LCs is possible in polynomial time [25]. As we only consider local Clifford operations and Pauli measurements, the resulting states remain graph states and can be described in terms of the premeasurement graph with LCs and vertex deletions [14,15].

We, hence, define local Pauli measurements  $P_v$  with respect to this graph action, i.e.,  $P_v \in \{X_v, Y_v, Z_v\}$  maps a graph with  $n$  vertices to one with  $n-1$  by removing  $v$ . Note that local Pauli measurements on  $|G\rangle$  result in a different graph state up to local unitary corrections (cf. Proposition 7 in Ref. [15]). We will omit these corrections for the sake of clarity.

**Definition 2 (Pauli measurements).** The graph action of  $Z_v$  is  $Z_v(G) := (\tilde{V}, E \cap \tilde{V} \times \tilde{V})$  with  $\tilde{V} := V \setminus \{v\}$ , that is, deleting the row and column of  $v$  from  $\Gamma_G$  gives  $\Gamma_{Z_v(G)}$ . With local complementations we further have  $Y_v(G) := Z_v \circ \tau_v(G)$  and  $X_v(G) := Z_v \circ \tau_w \circ \tau_v \circ \tau_w(G)$ , where  $w \in N_v$ .

A graph  $H$  that can be obtained from a graph  $G$  via a sequence of local complementations and vertex deletions is called a *vertex minor* of  $G$  [26]. We will denote this as  $H < G$  and call a graph  $v$  *minor* of another graph if  $v$  is the single vertex that has been deleted, e.g.,  $X_v(G), Y_v(G)$ , and  $Z_v(G)$  are  $v$  minors of  $G$ . Deciding whether or not a graph  $H$  is a vertex minor of  $G$  on some subset of vertices is *NP-complete* [17]. Likewise, extracting a set of Bell pairs on a fixed set of vertices from a general graph is NP-complete [16]. Exactly because solving general problems in quantum network routing is provably hard, we focus on impossibility results for widely used network architectures: rings and lines. Due to their symmetry, we consider the former first. Theorems 1 and 3 eliminate specific instances of—what we expect to be—commonly encountered problems in future quantum networks.

### III. RING GRAPHS

We first consider graph state vectors  $|R_n\rangle$  corresponding to ring graphs, i.e.,  $R_n := (V_n, E_n)$  with  $V_n := \{1, \dots, n\}$  and  $E_n := \{(1, 2), (2, 3), \dots, (n-1, n), (n, 1)\}$  in Fig. 1. Our goal is to obtain two maximally entangled pairs between qubits  $\{a_1, a_2\}$  and  $\{b_1, b_2\}$  via local Clifford operations and Pauli measurements. That is, we want to determine if the most simple graph with two connected components,

$$K_2 \cup K_2 := (\{a_1, a_2, b_1, b_2\}, \{(a_1, a_2), (b_1, b_2)\}) \quad (4)$$

is a vertex minor of  $R_n$ . Without loss of generality we can restrict to  $a_1 < a_2, b_1 < b_2$ , and set  $a_1 = 1$ . In order to show that it is not possible to achieve our goal if  $a_1 < b_1 < a_2 < b_2$ , we will make use of the following lemmas:

**Lemma 1 (Theorem 3.1 [18]).** Let  $G$  and  $H$  be two graphs and  $(v_1, v_2, \dots, v_k)$  be an ordered tuple of vertices that contains each element of  $V_G \setminus V_H$  exactly once. We define the corresponding set of possible Pauli operations as

$$\mathcal{P}_{(v_1, v_2, \dots, v_k)} := \{P_{v_k} \circ P_{v_{k-1}} \circ \dots \circ P_{v_1} | P_v \in \{X_v, Y_v, Z_v\}\}. \quad (5)$$

Then  $H$  is a vertex minor of  $G$  if and only if there exists an operation  $P \in \mathcal{P}_{(v_1, v_2, \dots, v_k)}$  such that  $H$  can be obtained from  $P(G)$  via a sequence of local complementations.

It will also be useful to single out two specific types of vertices, namely, *leaves* and *axils*.

**Definition 3 (Leaf and axil).** A leaf is a vertex with degree one. An axil is the unique neighbor of a leaf.

For leaves and axils, we have the following lemma regarding the relevant vertex minors:

**Lemma 2 (Theorem 2.7 [27]).** Let  $G$  and  $H$  be graphs, and let  $v$  be a vertex in  $V_G$  but not in  $V_H$ . Then it holds that:

- (a) If  $v$  is a leaf:  $H < G \Leftrightarrow H < G \setminus v$ .
- (b) If  $v$  is an axil:  $H < G \Leftrightarrow H < \tau_w \circ \tau_v(G) \setminus v$ , where  $w$  is the leaf associated with  $v$ .

Note that (b) follows from (a) as leaf and associated axil can be transformed into each other via local complementation. With Lemmas 1 and 2 we can prove our no-go results (Theorems 1 and 3). In combination with Theorem 2, we provide a tool that can find application to more general network architectures that are not limited to nearest-neighbor ones.

**Theorem 1 (No crossing on a ring).** It is not possible to extract two maximally entangled pairs from  $|R_n\rangle$  if  $a_1 = 1 < b_1 < a_2 < b_2$  for any  $n \in \mathbb{N}$  with local Clifford operations, local Pauli measurements, and classical communication.

*Proof.* The proof works by induction. The base case is trivial for  $1 \leq n \leq 4$ . For  $n = 5$  and  $n = 6$  it can be derived by Propositions 1 and 2 in Ref. [6] since ring graphs have a bottleneck with respect to communication requests of the type  $a_1 < b_1 < a_2 < b_2$ .

For the inductive step, we now assume that Theorem 1 holds up to a given  $n$ . We can then build an argument on three case distinctions to show the same follows for  $n+1$ . In order to see this, note that  $K_2 \cup K_2$  is a vertex minor of  $R_{n+1}$  if and only if it is a vertex minor of, at least, one of  $X(R_{n+1}), Y(R_{n+1}),$  or  $Z(R_{n+1})$  (Lemma 1). In the following we will show that it is not a vertex minor of any of them. More specifically, any  $v$ -minor  $H$  of  $R_{n+1}$  is, according to Lemma 1, equivalent to  $X_v(R_{n+1}), Y_v(R_{n+1}),$  or  $Z_v(R_{n+1})$  via a sequence of local complementations. As the vertex-minor relationship




FIG. 1. Measurements on a ring. From left to right: Ring  $R_{n+1}$  with  $n + 1$  vertices, node  $v$  is measured in the  $Z$ ,  $Y$ , and  $X$  bases.

is inherited via local complementations,  $K_2 \cup K_2$  can only be a vertex minor of  $H$  if it is a vertex minor of, at least, one of  $X(R_{n+1})$ ,  $Y(R_{n+1})$ , or  $Z(R_{n+1})$ . It is, therefore, enough to show that  $K_2 \cup K_2 \not\prec P_v(R_{n+1})$  for all  $P_v \in \{X_v, Y_v, Z_v\}$  where we have  $v \notin \{a_1, a_2, b_1, b_2\}$ . We consider the three cases separately.

*Ring 1.*  $K_2 \cup K_2 \not\prec Z_v(R_{n+1})$ .

$Z_v(R_{n+1})$  is the line graph  $L_n$  with  $n$  vertices as depicted in Fig. 1. With Theorem 3 we find that maximally entangled pairs  $(a_1, a_2)$  and  $(b_1, b_2)$  cannot be extracted from the corresponding graph state vector  $|L_n\rangle$ , i.e.,  $K_2 \cup K_2 \not\prec Z_v(R_{n+1})$ .

*Ring 2.*  $K_2 \cup K_2 \not\prec Y_v(R_{n+1})$ .

Since  $Y_v(R_{n+1}) = R_n$  (see also Fig. 1), we can use our induction hypothesis to infer that  $|Y_v(R_{n+1})\rangle$  does not allow for the extraction of maximally entangled pairs  $(a_1, a_2)$  and  $(b_1, b_2)$ , that is, we have  $K_2 \cup K_2 \not\prec Y_v(R_{n+1})$ .

*Ring 3.*  $K_2 \cup K_2 \not\prec X_v(R_{n+1})$ .

$X_v(R_{n+1})$  is the ring graph  $R_n$  with an additional leaf as depicted in Fig. 1. The former neighbors of  $v$  within the graph  $R_{n+1}$  constitute leaf  $u$  and axil  $w$ —note that the roles of  $u, w$  are reversed if the other vertex is chosen as a special neighbor in the sense of Definition 2.




FIG. 2. The foliage is LC invariant. The arrows indicate how foliage nodes  $u, w$  transform under LCs. The central four graphs show twins  $v, w$  that can be (dis-)connected via a LC with respect to one of their neighbors  $u$ . The LCs  $\tau_v$  and  $\tau_w$  transform the outer graphs with the connected twins into graphs where either  $v$  (upper row) or  $w$  (lower row) is an axil and their former twin partner a leaf.

If both leaf and axil are part of the target graph and constitute one of the target Bell pairs, i.e.,  $\{u, w\} \in \{\{a_1, a_2\}, \{b_1, b_2\}\}$ , this contradicts the assumption  $a_1 < b_1 < a_2 < b_2$  since there is no vertex between  $u$  and  $w$ . Both leaf and axil can also not be part of the target graph while being in different Bell pairs: Leaf-axil pairs either remain such pairs under local complementations or turn into twins (cf. Theorem 2, Fig. 2, and Definitions 4 and 5). This is a contradiction to  $u$  and  $w$  being in different Bell pairs of the target graph since measuring the neighborhood of axils or twins can never result in a graph with two connected components. If just axil  $w$  is part of the target graph, Lemma 2(a) with  $v = u$  reduces the problem to  $R_n$ , and we can use our induction hypothesis. If just leaf  $u$  is part of the target graph, we can use Lemma 2(b) with  $v = w$ . ■

**Definition 4 (Twin).** A twin is a vertex  $v$  that has the same neighborhood as a second vertex  $w \neq v$  in the sense that

$$N_v \setminus \{w\} = N_w \setminus \{v\}. \quad (6)$$

**Definition 5 (Foliage).** The set containing all the leaves, axils, and twins of a graph is called the foliage of that graph.

**Theorem 2 (Foliage is LC invariant).** The foliage of a graph  $G$  is invariant under local complementation.

*Proof.* For  $G = K_2 = \tau_v(K_2)$  the statement is trivial as both vertices are leaves, axils, and twins at the same time. For all other graphs note that a twin can be transformed into a leaf (or an axil) via local complementations: If twins  $v$  and  $w$  are neighbors,  $\tau_w$  disconnects  $v$  from all its other neighbors, that is, in  $\tau_w(G)$  the vertex  $v$  is a leaf and  $w$  its axil. If twins  $v$  and  $w$  are not neighbors, note that a twin pair always has a common neighbor  $u$  (unless  $G = K_2$ ). In the graph  $\tau_u(G)$ , the two vertices are then neighboring twins. With the above argument we know that in  $\tau_w \circ \tau_u(G)$ , vertex  $v$  is a leaf and  $w$  the corresponding axil. Conversely, given a pair of leaf  $v$  and axil  $w$ , the local complementation  $\tau_w$  connects  $v$  to every vertex in  $N_w$ , i.e., a twin pair is created. Again, choosing a common neighbor  $u$  allows us to go to the graph  $\tau_u \circ \tau_v(G)$  in which  $w$  is a leaf and  $v$  is its axil. In fact, Fig. 2 shows that all LCs on  $u, v, w$  with  $u \in N_v$  and/or  $u \in N_w$  leave the foliage invariant. Since LCs can only transform the neighborhood, we, thus, have shown that leaves, axils, and twins can *only* be transformed into each other with local complementations.

As LCs are self-inverse this concludes the proof: Assume that a node in the foliage can be created via LCs out of a node that is not in the foliage. Then the reverse sequence of LCs would transform a node in the foliage to one that is not—contradicting the last sentence of the previous paragraph. ■

#### IV. LINE GRAPHS

In analogy to Theorem 1, we can prove a no-go theorem for line graphs, i.e.,  $L_n := (V_n, E_n)$  with vertices  $V_n := \{1, \dots, n\}$  and edges  $E_n := \{(1, 2), (2, 3), \dots, (n-1, n)\}$ .

**Theorem 3 (No crossing on a line).** It is not possible to extract two maximally entangled pairs from  $|L_n\rangle$  if  $a_1 < b_1 < a_2 < b_2$  for any  $n \in \mathbb{N}$  with local Clifford operations, local Pauli measurements, and classical communication.

*Proof.* Again, the base case for  $1 \leq n \leq 4$  is trivial and for  $n = 5$  and  $n = 6$  given by Ref. [6]. For the inductive step, we assume that Theorem 3 holds up to a given  $n$ . By the same




FIG. 3. Ring (a) and butterfly (e) network. Whereas ring and butterfly networks are not LC equivalent, a ring graph (a) can be transformed via LCs into a butterflylike graph (c) where two nodes, here 1 and 2, are swapped ( $\hat{=}$ ). The ring  $R_6$  is transformed via a local complementation sequence (a), (b) $\hat{=}$ (c). From the resulting graph (c), one can obtain maximally entangled pairs (d) between nodes (2,4) and (1,5) by measuring 3 and 6. When allowing for two-local operations (specifically CZ gates) between nodes 3 and 6 (e) one can obtain crossing Bell pairs (1,4) and (2,5) (f).

argument as above,  $K_2 \cup K_2$  is a vertex minor of  $L_{n+1}$  if and only if it is a vertex minor of, at least, one of  $X(L_{n+1})$ ,  $Y(L_{n+1})$ , or  $Z(L_{n+1})$ . We will now show that  $K_2 \cup K_2 \not\leq P_v(L_{n+1})$  for all  $P_v \in \{X_v, Y_v, Z_v\}$  where we have  $v \notin \{a_1, a_2, b_1, b_2\}$ . Again, we consider three cases.

*Line 1.*  $K_2 \cup K_2 \not\leq Z_v(L_{n+1})$ .

If  $v = 1$  or  $v = n + 1$ , we find  $Z_v(L_{n+1}) = L_n$  and can use our induction hypothesis. Otherwise, the  $Z_v$  measurement splits the line into two line segments  $L_i$  and  $L_j$  with  $i + j = n$ . This implies  $i, j \in \{1, 2, \dots, n-1\}$ , and we can again use the induction hypothesis.

*Line 2.*  $K_2 \cup K_2 \not\leq Y_v(L_{n+1})$ .

We have  $Y_v(L_{n+1}) = L_n$ , a graph on the  $n$  vertices  $\{1, 2, \dots, v-1, v+1, \dots, n+1\}$  since local complementation with respect to  $v$  connects  $v-1$  to  $v+1$  but leaves the remaining graph unchanged. Again,  $K_2 \cup K_2$  cannot be a vertex minor of  $Y_v(L_{n+1})$  by our induction hypothesis.

*Line 3.*  $K_2 \cup K_2 \not\leq X_v(L_{n+1})$ .

If  $v = 1$  or  $v = n + 1$ , we find  $X_v(L_{n+1}) = L_{n-1}$  and can use our induction hypothesis. Similarly, in the cases  $v = 2$  and  $v = n$  we get  $X_v(L_{n+1}) = L_n$ . In all other cases, we have  $X_v(L_{n+1})$  equal to  $L_{n-1}$  with an additional leaf where the leaf-axil pair is made up by the set  $\{v-1, v+1\}$ . Using the same argument as in the proof of Ring 3—involving Theorem 2 and Lemma 2—we can conclude our proof. ■

#### V. OUTLOOK

In this Letter, we build upon quantum network routing research to examine whether commonly used nearest-neighbor

architectures can aid with bypassing bottlenecks. We establish two no-go results for ring and line topologies. We show that, unlike the grid, whose smallest instance is the butterfly network, these two architectures are not suitable for bypassing bottlenecks without additional longer communication links. This would be possible if we did allow for longer-distance two-local operations; as shown in Fig. 3 we can indeed transform a ring graph state to a butterfly graph state and thereby enable the generation of crossing maximally entangled pairs.

Our investigation aims to increase our understanding of the potential and limitations of quantum network routing in times when these settings are moving closer to experimental reality. The techniques that we have developed can potentially be used to eliminate more general quantum communication scenarios with existing bottlenecks: The invariance of the foliage under local complementation (Theorem 2) will be instrumental here since it is not limited to the line and ring topology; generalizations with extended notions of locality are conceivable but not straightforward since the foliage is not invariant under

two-local operations. Relevant studies [21,28,29] show how to generate the underlying graph states by sharing maximally entangled pairs between the nodes, whereas a proof-of-concept implementation using the IBM Quantum Experience has also been demonstrated [30]. Finally, the long-distance communication links that are necessary in order to bypass the bottlenecks shown in this Letter, can, in principle, be built following the approach of Ref. [5].

#### ACKNOWLEDGMENTS

F.H. acknowledges support from the German Academic Scholarship Foundation, A.P. acknowledges support from the German Research Foundation (DFG, Emmy Noether Grant No. 418294583), and J.E. acknowledges support from the BMBF (Q.Link.X and QR.X), J.E. and A.P. also acknowledge support from the Einstein Research Unit on Quantum Devices. This work has been initiated during the first Thematic Einstein Semester of the MATH+ Cluster of Excellence.

- 
- [1] H. J. Kimble, *Nature (London)* **453**, 1023 (2008).
  - [2] S. Wehner, D. Elkouss, and R. Hanson, *Science* **362**, eaam9288 (2018).
  - [3] M. Pant, H. Krovi, D. Towsley, L. Tassioulas, L. Jiang, P. Basu, D. Englund, and S. Guha, *npj Quantum Inf.* **5**, 25 (2019).
  - [4] R. V. Meter, T. Satoh, T. D. Ladd, W. J. Munro, and K. Nemoto, *Networking Sci.* **3**, 82 (2013).
  - [5] E. Schoute, L. Mancinska, T. Islam, I. Kerenidis, and S. Wehner, [arXiv:1610.05238](https://arxiv.org/abs/1610.05238).
  - [6] F. Hahn, A. Pappa, and J. Eisert, *npj Quantum Inf.* **5**, 1 (2019).
  - [7] R. Raussendorf, D. E. Browne, and H. J. Briegel, *Phys. Rev. A* **68**, 022312 (2003).
  - [8] N. de Beaudrap and M. Rötteler, in *9th Conference on the Theory of Quantum Computation, Communication and Cryptography (TQC 2014)* (Singapore, 2014), Vol. 27, pp. 217–233.
  - [9] M. Epping, H. Kampermann, and D. Bruß, *New J. Phys.* **18**, 053036 (2016).
  - [10] A. Acin, I. Bloch, H. Buhrman, T. Calarco, C. Eichler, J. Eisert, D. Esteve, N. Gisin, S. J. Glaser, F. Jelezko, S. Kuhr, M. Lewenstein, M. F. Riedel, P. Schmidt, R. Thew, A. Wallraff, I. Walmsley, and F. K. Wilhelm, *New J. Phys.* **20**, 080201 (2018).
  - [11] D. Leung, J. Oppenheim, and A. Winter, *IEEE Trans. Inf. Theory* **56**, 3478 (2010).
  - [12] M. Hayashi, K. Iwama, H. Nishimura, R. Raymond, and S. Yamashita, in *STACS 2007*, edited by W. Thomas and P. Weil (Springer, Berlin, 2007), pp. 610–621.
  - [13] C. Meignant, F. Grosshans, and D. Markham, [arXiv:2104.04745](https://arxiv.org/abs/2104.04745).
  - [14] M. Hein, J. Eisert, and H. J. Briegel, *Phys. Rev. A* **69**, 062311 (2004).
  - [15] M. Hein, W. Dür, J. Eisert, R. Raussendorf, M. Van den Nest, and H.-J. Briegel, in *Proceedings of the Int. School of Physics ‘Enrico Fermi’* (IOS, Amsterdam, 2005), pp. 115–218.
  - [16] A. Dahlberg, J. Helsen, and S. Wehner, *Quantum* **4**, 348 (2020).
  - [17] A. Dahlberg, J. Helsen, and S. Wehner, *Inf. Proc. Lett.* **175**, 106222 (2022).
  - [18] A. Dahlberg, J. Helsen, and S. Wehner, *Quantum Sci. Technol.* **5**, 045016 (2020).
  - [19] H. Kobayashi, F. Le Gall, H. Nishimura, and M. Rötteler, in *2010 IEEE Int. Symposium on Information Theory, 2010* (IEEE, Piscataway, NJ, 2010), pp. 2686–2690.
  - [20] S. L. N. Hermans, M. Pompili, H. K. C. Beukers, S. Baier, J. Borregaard, and R. Hanson, *Nature (London)* **605**, 663 (2022).
  - [21] F. Ozaydin, C. Yesilyurt, S. Bugu, and M. Koashi, *Phys. Rev. A* **103**, 052421 (2021).
  - [22] S. Bose, *Phys. Rev. Lett.* **91**, 207901 (2003).
  - [23] A. Kay, *Int. J. Quant. Inf.* **08**, 641 (2010).
  - [24] M. Van den Nest, J. Dehaene, and B. De Moor, *Phys. Rev. A* **69**, 022316 (2004).
  - [25] M. Van den Nest, J. Dehaene, and B. De Moor, *Phys. Rev. A* **70**, 034302 (2004).
  - [26] S.-I. Oum, *J. Comb. Theory B* **95**, 79 (2005).
  - [27] A. Dahlberg and S. Wehner, *Philos. Trans. R. Soc. A* **376**, 20170325 (2018).
  - [28] J. de Jong, F. Hahn, J. Eisert, N. Walk, and A. Pappa, [arXiv:2205.09169](https://arxiv.org/abs/2205.09169).
  - [29] T. Matsuo, T. Satoh, S. Nagayama, and R. Van Meter, *Phys. Rev. A* **97**, 062328 (2018).
  - [30] P. Pathumsoot, T. Matsuo, T. Satoh, M. Hajdusek, S. Suwanna, and R. Van Meter, *Phys. Rev. A* **101**, 052301 (2020).