

Dethiobacteraceae fam. nov.

Sorokin, Dimitry Y.; Merkel, Alexander Y.

Publication date

2022

Document Version

Final published version

Published in

Bergey's Manual of Systematics of Archaea and Bacteria

Citation (APA)

Sorokin, D. Y., & Merkel, A. Y. (2022). Dethiobacteraceae fam. nov. In W. B. Whitman (Ed.), *Bergey's Manual of Systematics of Archaea and Bacteria* (pp. 1-2). John Wiley & Sons.

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

Dethiobacteraceae fam. nov.

Sorokin, Dimitry Y.; Merkel, Alexander Y.

Publication date
2022

Published in
Bergey's Manual of Systematics of Archaea and Bacteria

Citation (APA)
Sorokin, D. Y., & Merkel, A. Y. (2022). Dethiobacteraceae fam. nov. In W. B. Whitman (Ed.), *Bergey's Manual of Systematics of Archaea and Bacteria* (pp. 1-2). John Wiley & Sons.

Important note
To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright
Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy
Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Firmicutes D/Dethiobacteria/Dethiobacterales/

Dethiobacteraceae fam. nov.

Dimitry Y. Sorokin, *Winogradsky Institute of Microbiology, Research Centre of Biotechnology, Russian Academy of Sciences, Moscow, Russia and Department of Biotechnology, Delft University of Technology, Delft, The Netherlands*

Alexander Y. Merkel, *Winogradsky Institute of Microbiology, Research Centre of Biotechnology, Russian Academy of Sciences, Moscow, Russia*

Edited by: William B. Whitman, *University of Georgia, Athens, GA, USA*

De.thi'o.bac.ter.a.ce.a.e. N.L. masc. n. *Dethiobacter*, the type genus of the family; L. fem. pl. n. suff. *-aceae*, ending to denote a family; N.L. fem. pl. n. *Dethiobacteraceae*, the family of the genus *Dethiobacter*.

The family *Dethiobacteraceae* includes obligately anaerobic, moderately salt-tolerant, and obligately alkaliphilic bacteria able to grow chemolithoautotrophically by elemental sulfur disproportionation and fixing CO₂ by the Wood–Ljungdahl pathway. The two strains currently known in pure culture are both isolated from saline soda lakes. H₂ can serve as an additional electron donor for sulfur and thiosulfate reduction. The family consists of a single genus *Dethiobacter* with the type species *Dethiobacter alkaliphilus*.

DNA G + C content (%): 48.3–48.5 (genomes of two isolates).

Type genus: ***Dethiobacter*** Sorokin et al. 2008, VL123.

The family *Dethiobacteraceae* includes strictly anaerobic bacteria with cells as short motile rods, occasionally forming round terminal endospores, and with the Gram-positive type of cell wall. The main metabolism is chemolithoautotrophy using elemental sulfur disproportionation for energy generation and the Wood–Ljungdahl pathway for autotrophic carbon dioxide fixation (Sorokin et al., 2008; Poser et al., 2013; Melton et al., 2017). In contrast to the neutrophilic sulfur-disproportionating bacteria, alkaliphilic *Dethiobacter* can grow by sulfur disproportionation without addition of

Fe(III). The type species *Dethiobacter alkaliphilus* can use H₂ as the electron donor for anaerobic sulfur and thiosulfate respiration (Sorokin et al., 2008). A second, yet undescribed, strain Z-1002 was enriched and isolated with ferrihydrite as the electron acceptor and formate as the electron donor (Zavarzina et al., 2018). This isolate has 99.6% identity of its 16S rRNA gene sequence to the type species. Both strains are moderately salt-tolerant, obligate alkaliphiles. The family currently consists of a monospecific genus *Dethiobacter* with the type species *D. alkaliphilus* AHT1^T isolated from a Mongolian soda lake. The second isolate, strain Z-1002, was obtained from the hypersaline soda lake Magadi in Kenya. *Dethiobacteraceae* is currently the only family of the order *Dethiobacterales* in the class *Dethiobacteria* as established by the phylogenomic analysis based on 120 single-copy conserved proteins.

DNA G + C content (%): 48.3–48.5 (genomes of two isolates).

Type genus: ***Dethiobacter*** Sorokin et al. 2008, VL123.

References

- Melton ED, Sorokin DY, Overmars L, Lapidus AL, Pillay M, Ivanova N et al. (2017) Draft genome sequence of *Dethiobacter alkaliphilus* strain AHT1^T, a Gram-positive sulfidogenic polyextremophile. *Stand Genomic Sci* **12**: article 57.

- Poser A, Vogt C, Knoeller K, Finster K, Sorokin DY, Lohmayer R et al. (2013) Disproportionation of elemental sulfur by haloalkaliphilic bacteria from soda lakes. *Extremophiles* **17**: 1003–1012.
- Sorokin DY, Tourova TP, Mussman M, & Muyzer G (2008) *Dethiobacter alkaliphilus* gen. nov., sp. nov., and *Desulfurivibrio alkaliphilus* gen. nov., sp. nov., two novel representatives of reductive sulfur cycle from soda lakes. *Extremophiles* **12**: 431–446.
- Validation List No. 123 (2008) *Int J Syst Evol Microbiol* **58**: 1993–1994.
- Zavarzina DG, Gavrilov SN, & Zhilina TN (2018) Direct Fe(III) reduction from synthetic ferrihydrite by haloalkaliphilic lithotrophic sulfidogens. *Microbiology (Moscow, English Translation)* **87**: 114–124. 