

Payoff distribution in robust coalitional games on time-varying networks

Raja, Aitazaz Ali; Grammatico, Sergio

DOI

[10.1109/TCNS.2021.3113269](https://doi.org/10.1109/TCNS.2021.3113269)

Publication date

2022

Document Version

Final published version

Published in

IEEE Transactions on Control of Network Systems

Citation (APA)

Raja, A. A., & Grammatico, S. (2022). Payoff distribution in robust coalitional games on time-varying networks. *IEEE Transactions on Control of Network Systems*, 9(1), 511-520.
<https://doi.org/10.1109/TCNS.2021.3113269>

Important note

To cite this publication, please use the final published version (if applicable).
Please check the document version above.

Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.
We will remove access to the work immediately and investigate your claim.

Green Open Access added to TU Delft Institutional Repository

'You share, we take care!' - Taverne project

<https://www.openaccess.nl/en/you-share-we-take-care>

Otherwise as indicated in the copyright section: the publisher is the copyright holder of this work and the author uses the Dutch legislation to make this work public.

Payoff Distribution in Robust Coalitional Games on Time-Varying Networks

Aitazaz Ali Raja¹ and Sergio Grammatico², *Senior Member, IEEE*

Abstract—In this article, we consider a sequence of transferable utility coalitional games, where the actual coalitional values are unknown but vary within known bounds. As a solution to the resulting family of games, we formalize the notion of “robust core.” Our main contribution is to design two distributed algorithms, namely 1) distributed payoff allocation and 2) distributed bargaining, which converge to a consensual payoff distribution in the robust core. We adopt an operator-theoretic perspective to show convergence of both algorithms executed on time-varying communication networks. An energy storage optimization application motivates our framework for “robust coalitional games.”

Index Terms—Distributed algorithms, dynamic games, energy systems, game theory, multiagent systems.

I. INTRODUCTION

COALITIONAL game theory provides a framework to study the behavior of selfish and rational agents when they cooperate effectively. This willingness to cooperate arises from the aspiration of gaining a higher return, compared to that for behaving as individuals [1].

Specifically, a transferable utility (TU) coalitional game consists of a set of agents and a value/characteristic function that provides the *value* of each of the possible coalitions [1]. Multiagent decision problems modeled by TU coalitional games arise in many application areas, such as demand-side energy management [2] and energy storage (ES) sharing [3], in various areas of communication networks [4] and as the foundation of coalitional control [5].

One key problem studied by coalitional game theory is the distribution of the value generated by cooperation. Along this research direction, several solution concepts have been proposed with special attention to criteria like stability and fairness. In payoff distribution, stability means that none of the agents has an incentive to defect the coalition. Perhaps, the most studied solution concept in coalitional games that ensures the *stability*

Manuscript received June 30, 2021; accepted August 29, 2021. Date of publication September 16, 2021; date of current version May 26, 2022. This work was supported in part by the Dutch Research Council through Research Project P2P-TALES under Grant 647.003.003 and in part by the European Research Council through Research Project COSMOS under Grant 802348. Recommended by Associate Editor G. Como. (Corresponding author: Aitazaz Ali Raja.)

The authors are with the Delft Center for Systems and Control, Delft University of Technology, 2628 CD Delft, The Netherlands (e-mail: a.a.raja@tudelft.nl; s.grammatico@tudelft.nl).

Digital Object Identifier 10.1109/TCNS.2021.3113269

of a payoff is the core. The second criterion, i.e., *fairness*, means that the payoff for an agent should reflect its contribution to or impact in the game. A seminal work on the axiomatic characterization of fairness is that of Shapley [6], where the unique value satisfying the fairness axioms is, in fact, known as the Shapley value, which depends on the marginal contribution of each agent. The latter depicts the impact each agent has on the collective value of the coalition. Other related solution concepts are also proposed in the literature, e.g., the nucleolus and the kernel [7].

In this article, we consider the problem of finding a payoff distribution that encourages cooperation, i.e., belongs to the core [8]. Now, to evaluate such a payoff, the value of each possible coalition is required, which seems implausible in many practical applications, mainly because an agent cannot be certain about the values that collaborations may generate. However, one can assume that an agent does hold a belief about the value of some possible collaborations via informed estimation or mere experience. In practice, this brings uncertainty to the coalitional values and, consequently, to the core set. It follows that one should consider solutions that are robust to uncertainty on the coalitional values. In this article, we do that via the notion of *robust core*.

The robustness aspect in coalitional games falls into the framework of dynamic TU coalitional games, which has been studied in the literature. Among others, Filar and Petrosjan [9] analyzed the time consistency of the Shapley value and the core under the temporal evolution of the game. Then, Lehrer and Scarsini [10] characterized three versions of core allocations for a dynamic game, where the worth of the coalitions varies over time according to the previous allocations. In both papers, the coalitional values at the current time are determined endogenously and depend on previous events. In [11], Kranich *et al.* consider a finite sequence of exogenously defined coalitional games, where the agents receive a payoff at each stage of the sequence, and consequently, the final utility of an agent depends on the whole stream of payoffs.

Robust coalitional games are the subclass of dynamic TU coalitional games, where the coalitional values are unknown and exogenous. In [12], Bauso and Timmer characterized robust allocation rules for the dynamic coalitional game, where the average value of each coalition is known with certainty, while at each instant, the coalitional value fluctuates within a bounded polyhedron. The static version of their setup, called cooperative interval games, is presented by Alparslan-Goek *et al.* [13], where the coalitional values are considered yet to be uncertain within

some bounded intervals. In their setup, they have introduced the interval solutions, which assign a closed real interval as a payoff to each agent instead of a single real value. In [14], Nedich and Bauso have presented a distributed bargaining algorithm for finding a solution in the core under the framework of robust games and dynamic average games. Inspired by the motivation of cooperative interval games and the setup in [14], in this article, we consider the value generated by each coalition to vary within certain bounds.

Motivational example: Let us consider the energy optimization application inspired by [2], which justifies a dynamic robust coalitional game model. Consider a group of N prosumers, each of whom owns a renewable energy source (RES) and ES. Together, they form an energy coalition \mathcal{I} , where the participating agents operate their ES systems collectively to minimize their total energy cost. When the energy coalition has excessive energy, they can store it in an ES for later utilization, and any additional energy can be sold to a retailer. The retailer buys energy and remunerates, a few hours ahead of the delivery time. The coalition considers the corresponding remuneration for optimizing their ES operation and consequently minimizing the associated cost function.

Now, the cost saving as a result of the collaborative operation should be distributed in such a way that each prosumer is satisfied by its share and, hence, the coalition remains intact. To achieve this, the agents assert their position by presenting the estimated cost saving of possible energy subcoalitions $S \subseteq \mathcal{I}$, which they could have been part of and use them to define acceptable payoffs, namely, payoffs in the core. Since there is uncertainty in the RES generation, the cost savings $v(S)$ of each subcoalition $S \subseteq \mathcal{I}$ is uncertain. How the agents share this saving under such uncertainty is a part of the solution generated by an iterative payoff distribution method.

Let b_i^t represent the charge or discharge of energy by the ES of prosumer i at time t . Furthermore, denote the net energy demand of prosumer i by q_i^t and let p_s^t and p_b^t be an electricity sell price and buy price at time t , respectively. Let $\text{proj}_{\geq 0}(x)$ ($\text{proj}_{\leq 0}(x)$) denote the projection onto the non-negative (nonpositive) orthant. Then, the energy cost function of any energy subcoalition $S \subseteq \mathcal{I}$ for a time period of length K is given as

$$F_S(\mathbf{b}) := \sum_{t=1}^K \left\{ p_b^t \left(\sum_{i \in S} \text{proj}_{\geq 0}(q_i^t + b_i^t) \right) + p_s^t \left(\sum_{i \in S} \text{proj}_{\leq 0}(q_i^t + b_i^t) \right) \right\}$$

where $\mathbf{b} \in \mathbb{R}^{NK}$ contains the ES charge and discharge profiles of all the N agents over the K time steps.

For a given coalition S , the coalitional energy cost for the time period of length K is defined as

$$c(S) := \min_{\mathbf{b}} F_S(\mathbf{b}) \quad (1)$$

and the cost saving during this period $v(S)$ as the difference between the sum of the costs of the coalitions of the individual agents in S and the cost of the coalition itself, namely

$$v(S) := \sum_{i \in S} \{c_i\} - c(S). \quad (2)$$

Note that the cost $c(S)$ is unknown but bounded from above when each agent $i \in S$ has RES generation equal to the installed capacity, which gives the minimum value of net energy consumption q_i^{\min} for the whole period K , and from below when there is no generation, hence q_i^{\max} . Due to these bounds, the cost saving $v(S)$ is also bounded. Let $\underline{c}(S)$ be the coalitional cost corresponding to q_i^{\max} , and let \bar{c}_i be the individual cost corresponding to q_i^{\min} , $i \in S$; then, $v(S) \leq \sum_{i \in S} \{\bar{c}_i\} - \underline{c}(S)$. Here, the uniform bound on the coalitional values and the fixed value of grand coalition, for a period of length K allows us to consider the setup of robust games presented in [14]. We refer to [3] and [15] for other engineering problems that can be modeled as robust coalitional games.

Contribution: We propose two payoff distribution algorithms within the framework of robust coalitional games.

- 1) We formalize the notion of *robust* core, a set of payoffs that stabilizes a grand coalition under variations in the coalitional values (see Section II).
- 2) We develop a distributed payoff allocation algorithm, where, given the bounds on the coalitional values, agents communicate and negotiate only locally, i.e., with their neighbors, over a time-varying and repeatedly connected communication network. We show that the proposed algorithm converges to a common payoff allocation in the *robust* core (see Section III).
- 3) We generalize the distributed bargaining protocol in [14] and prove its convergence to a mutually agreed payoff in the *robust* core. We assume similar communication requirements for the bargaining protocol as for the allocation process, but less information on the coalitional bounds is available to the agents (see Section IV).
- 4) We introduce some tools from operator theory (*paracontraction*, *nonexpansive* operators, and Krasnoselskii–Mann fixed-point iterations) to the domain of coalitional games, which allows us to generalize existing results and, in turn, to propose faster algorithms. This approach represents a new general analysis framework for coalitional games.

Notation: \mathbb{R} and \mathbb{N} denote the set of real and natural numbers, respectively. Given a mapping $M : \mathbb{R}^n \rightarrow \mathbb{R}^n$, $\text{fix}(M) := \{x \in \mathbb{R}^n \mid x = M(x)\}$ denotes the set of its fixed points. Id denotes the identity operator. For a closed set $C \subseteq \mathbb{R}^n$, the mapping $\text{proj}_C : \mathbb{R}^n \rightarrow C$ denotes the projection onto C , i.e., $\text{proj}_C(x) = \arg \min_{y \in C} \|y - x\|$. An overprojection operator is denoted by $\text{overproj}_C := 2\text{proj}_C - \text{Id}$. For a set S , the power set is denoted by 2^S . $A \otimes B$ denotes the Kronecker product between the matrices A and B . I_N denotes an identity matrix of dimension $N \times N$. For $x_1, \dots, x_N \in \mathbb{R}^n$, $\text{col}((x_i)_{i \in \{1, \dots, N\}}) := [x_1^\top, \dots, x_N^\top]^\top$. For a norm $\|\cdot\|_p$ on \mathbb{R}^n and a norm $\|\cdot\|_q$ on \mathbb{R}^m , the mixed vector norm $\|\cdot\|_{p,q}$ on \mathbb{R}^{m+n} is defined as $\|x\|_{p,q} = \|\text{col}(\|x_1\|_p, \dots, \|x_m\|_p)\|_q$. $\text{dist}(x, C)$ denotes the distance of x from a closed set $C \subseteq \mathbb{R}^n$, i.e., $\text{dist}(x, C) := \inf_{y \in C} \|y - x\|$. For a closed set $C \subseteq \mathbb{R}^n$ and $N \in \mathbb{N}$, $C^N := \prod_{i=1}^N C_i$.

Operator-theoretic definitions: A mapping $T : \mathbb{R}^n \rightarrow \mathbb{R}^n$ is nonexpansive, if $\|T(x) - T(y)\| \leq \|x - y\|$, for all $x, y \in \mathbb{R}^n$. A continuous mapping $M : \mathbb{R}^n \rightarrow \mathbb{R}^n$ is a paracontraction, with

respect to a norm $\|\cdot\|$ on \mathbb{R}^n , if $\|M(x) - y\| < \|x - y\|$, for all $x, y \in \mathbb{R}^n$ such that $x \notin \text{fix}(M), y \in \text{fix}(M)$.

II. BACKGROUND ON COALITIONAL GAMES

Let us first provide a brief mathematical background on coalitional game theory and then describe two payoff distribution processes, namely: 1) the payoff allocation and 2) bargaining.

In dynamic context, a coalitional game consists of a set of agents, indexed by $\mathcal{I} = \{1, \dots, N\}$, who cooperate to achieve selfish interests. This cooperation at each time $k \in \mathbb{N}$ results in the generation of utility, as defined by a value function v^k .

Definition 1 (Coalitional game [14, Sec. II-A]): Let $\mathcal{I} = \{1, \dots, N\}$ be a set of agents. For each time $k \in \mathbb{N}$, an instantaneous coalitional game is a pair $\mathcal{G}^k = (\mathcal{I}, v^k)$, where $v^k : 2^{\mathcal{I}} \rightarrow \mathbb{R}$ is a value function that assigns a real value $v^k(S)$ to each coalition $S \subseteq \mathcal{I}$. A dynamic coalitional game is a sequence of instantaneous games, i.e., $\mathcal{G} = (\mathcal{I}, (v^k)_{k \in \mathbb{N}})$. \square

For an instantaneous game, an instantaneous value of a coalition has to be distributed among the member agents of the coalition so that each agent receives a certain payoff.

Definition 2 (Payoff vector): Let $\mathcal{I} = \{1, \dots, N\}$ be a set of agents and $S \subseteq \mathcal{I}$ be a coalition in an instantaneous coalitional game $\mathcal{G}^k = (\mathcal{I}, v^k), k \in \mathbb{N}$. Then, for each $i \in S$, the element x_i^k of a payoff vector $\mathbf{x}^k \in \mathbb{R}^{|S|}$ represents the share of agent i of the value $v^k(S)$. \square

Within the game, we assume that each agent $i \in \mathcal{I}$ acts rationally and efficiently. This means that the payoff vector, given in Definition 2, proposed by an agent must belong to its *bounding set* as defined next.

Definition 3 (Bounding set [14, Sec. II-B]): For an instantaneous game $\mathcal{G}^k = (\mathcal{I}, v^k), k \in \mathbb{N}$, the set

$$\mathcal{X}_i^k := \left\{ x \in \mathbb{R}^N \mid \sum_{j \in \mathcal{I}} x_j = v^k(\mathcal{I}), \right. \\ \left. \sum_{j \in S} x_j \geq v^k(S), \forall S \subset \mathcal{I} \text{ s.t. } i \in S \right\} \quad (3)$$

denotes the bounding set of an agent $i \in S$. \square

Since an agent agrees only on a payoff vector in its bounding set, we can conclude that a mutually agreed payoff shall belong to the intersection of the bounding sets of all the agents. Interestingly, this intersection corresponds to the core, the solution concept that relates to the stability of a grand coalition, i.e., a coalition of all agents. The idea of stability, in this context, is based on the disinterest of each agent in defecting a grand coalition. Let us formalize the concept of core for instantaneous coalitional games, as in Definition 1.

Definition 4 (Instantaneous core): The core \mathcal{C} of an instantaneous coalitional game $\mathcal{G}^k = (\mathcal{I}, v^k), k \in \mathbb{N}$, is the following set of payoff vectors:

$$\mathcal{C}(v^k) := \left\{ x \in \mathbb{R}^N \mid \sum_{i \in \mathcal{I}} x_i = v^k(\mathcal{I}), \right. \\ \left. \sum_{i \in S} x_i \geq v^k(S), \forall S \subseteq \mathcal{I} \right\} \quad (4) \\ = \bigcap_{i=1}^N \mathcal{X}_i^k$$

with \mathcal{X}_i^k as in (3), which is also the intersection of the individual bounding sets. \square

Each payoff allocation that belongs to the core stabilizes the grand coalition, which implies that no agent or coalition $S \subset \mathcal{I}$ has an incentive to defect from the grand coalition.

In this article, we consider a similar class of dynamic coalitional games as in [14], where an instantaneous value of each coalition $v^k(S)$ belongs to a finite set bounded by a minimum and a maximum value, i.e., $\underline{v}(S) \leq v^k(S) \leq \bar{v}(S)$. This restriction of values on v^k gives rise to a family of games that we collectively regard as a robust coalitional game.

Definition 5 (Robust coalitional game): Let $\mathcal{I} = \{1, \dots, N\}$ index a set of agents. A robust coalitional game $\mathcal{R} = (\mathcal{I}, \mathcal{V})$ is a set of instantaneous coalitional games (\mathcal{I}, v^k) with $v^k \in \mathcal{V} := \{u_1, u_2, \dots, u_n\}$ with $|\mathcal{V}| < \infty$, for all $k \in \mathbb{N}$, where each u_l is a value function such that $\underline{u}(S) \leq u_l(S) \leq \bar{u}(S)$ for all $S \subset \mathcal{I}$ and $u_l(\mathcal{I}) = \bar{u}(\mathcal{I})$. \square

In words, a robust coalitional game $(\mathcal{I}, \mathcal{V})$ is a family of a finite number of instantaneous coalitional games such that the value of the grand coalition \mathcal{I} is fixed. This setup adequately addresses the practical scenario of negotiations, where, after the formation of the grand coalition, its value becomes certain. However, to compute a core payoff in (4), anticipated values of subcoalitions are also required, which involves uncertainty. We note that our formulation of robust coalitional game is called ‘‘robust game’’ in [14]. Next, we formalize the core of a robust coalitional game as the robust core.

Definition 6 (Robust core): For a robust coalitional game $\mathcal{R} = (\mathcal{I}, \mathcal{V})$, the robust core is the intersection of all the possible instantaneous core sets, i.e.,

$$\mathcal{C}_0 := \bigcap_{v \in \mathcal{V}} \mathcal{C}(v). \quad (5)$$

\square

Remark 1: Let $\mathcal{R} = (\mathcal{I}, \mathcal{V})$ be a robust coalitional game. If there exists $\bar{v} \in \mathcal{V}$ such that for all $k \in \mathbb{N}$, $v^k(\mathcal{I}) = \bar{v}(\mathcal{I})$ and $v^k(S) \leq \bar{v}(S)$ for any coalition $S \subset \mathcal{I}$, then $\mathcal{C}_0 = \mathcal{C}(\bar{v})$ and thus $\mathcal{C}_0 \subseteq \mathcal{C}(v^k)$ for all $v^k \in \mathcal{V}$. Consequently, if $\mathcal{C}_0 \neq \emptyset$, then $\mathcal{C}(v^k) \neq \emptyset$ for all $k \in \mathbb{N}$. \square

In the following, we deal with the grand coalition only; therefore, we use the core as the solution concept. We note from (4) that the core $\mathcal{C}(v^k)$ is closed and convex. Furthermore, the robust core \mathcal{C}_0 in (5) is assumed to be nonempty throughout this article. Nonemptiness implies that even under the variations in coalitional values, a mutually agreeable payoff exists.

Assumption 1: The robust core is nonempty, $\mathcal{C}_0 \neq \emptyset$. \square

Next, we discuss a possible strategy for finding a payoff that belongs to core \mathcal{C}_0 in (5) of a robust game. Since centralized methods for finding a payoff $\mathbf{x} \in \mathcal{C}_0$ do not capture realistic scenarios of interaction among autonomous selfish agents, we propose distributed methods that allow agents to autonomously reach a common agreement on a payoff distribution. We note that our analysis and methods can be adapted for games with empty cores by defining a quasi-core (ε -core) set [16].

Remark 2: Given $\varepsilon > 0$, the ε -core is the set $\mathcal{C}_\varepsilon(v) := \{x \in \mathbb{R}^N \mid \sum_{i \in \mathcal{I}} x_i = v(\mathcal{I}), \sum_{i \in S} x_i \geq v(S) - \varepsilon, \forall S \subseteq \mathcal{I}\}$. Thus, the core in Definition 4 is an ε -core with $\varepsilon = 0$. The ε -core

models the cost of coalition formation, where ε is a minimum threshold for a gain in coalitional value, below which it is not rational for a coalition $S \subset \mathcal{I}$ to defect the grand coalition. \square

The two payoff distribution methods which we focus on are distributed payoff allocation and distributed bargaining. The former is an iterative procedure, in which, at each step, an agent i proposes a payoff distribution $\mathbf{x}_i \in \mathbb{R}^N$ by averaging the proposals of neighboring agents and by introducing an innovation factor. This procedure aspires to reach a mutually agreed payoff among agents. In a bargaining process, to propose a payoff distribution $\mathbf{x}_i \in \mathbb{R}^N$, an agent i , after averaging the proposals of all agents, makes it compliant to its own interest. Bargaining procedure also aspires to reach a mutually agreed payoff. Thus, in both methods, the proposed payoff distributions $(\mathbf{x}_i)_{i \in \mathcal{I}}$ must eventually reach consensus.

Definition 7 (Consensus set): The consensus set $\mathcal{A} \subset \mathbb{R}^{N^2}$ is defined as

$$\mathcal{A} := \{\text{col}(\mathbf{x}_1, \dots, \mathbf{x}_N) \in \mathbb{R}^{N^2} \mid \mathbf{x}_i = \mathbf{x}_j \forall i, j \in \mathcal{I}\}. \quad (6)$$

\square

In the following, we consider the problem of iteratively computing a mutually agreed, payoff vector in the core, i.e., $\mathbf{x}^k \rightarrow \bar{\mathbf{x}} \in \mathcal{A} \cap \mathcal{C}^N$. We address this problem via distributed algorithms under the payoff allocation and bargaining frameworks. Both algorithms, starting from any initial payoff proposal \mathbf{x}^0 , converge to some consensual payoff in the robust core in (5).

III. DISTRIBUTED PAYOFF ALLOCATION

In coalitional games, the agents cooperate because they foresee a higher individual payoff compared to noncooperative actions. A payoff that can sustain such cooperation, referred as a stable payoff, shall satisfy the criteria in (4). Thus, the goal of a payoff allocation process is to let the agents achieve a consensus on a stable payoff in a distributed manner. During the allocation process, each agent proposes a payoff for all the involved agents based on the previous proposals of his neighbors and an innovation term.

In this section, we propose a payoff allocation in the context of robust coalitional games, where the value function v , at each iteration k , takes a value within the given bounds. We model our setup in a distributed paradigm, where each agent estimates the coalitional values independently; hence, different agents can assign different values to the same coalition. In the context of a robust coalitional game $(\mathcal{I}, \mathcal{V})$, this distributed evaluation of the coalitional values implies that at each negotiation step, an agent can choose any value function v from a family \mathcal{V} , without central coordination. However, the determination of the family \mathcal{V} is application specific and generally involves a central evaluation before the distributed negotiation process. We prove that even under the distributed evaluation of the value function and variation of the coalitional values, the proposed algorithm converges to a stable payoff distribution. In particular, our goal is to construct a distributed fixed-point algorithm, using which the agents can reach consensus (6) on a payoff distribution in the robust core (5).

A. Distributed Payoff Allocation Algorithm

Consider a set of agents $\mathcal{I} = \{1, \dots, N\}$ who synchronously propose a distribution of utility at each discrete time step $k \in \mathbb{N}$. Specifically, each agent $i \in \mathcal{I}$ proposes a payoff distribution $\mathbf{x}_i^k \in \mathbb{R}^N$, where the j th element denotes the share of agent j proposed by agent i at iteration $k \in \mathbb{N}$.

Let the agents communicate over a time-varying network represented by a graph $G^k = (\mathcal{I}, \mathcal{E}^k)$, where $(j, i) \in \mathcal{E}^k$ means that there is an active link between the agents i and j at iteration k , and they are then referred as neighbors. Therefore, the set of neighbors of agent i at iteration k is defined as $\mathcal{N}_i^k := \{j \in \mathcal{I} \mid (i, j) \in \mathcal{E}^k\}$. We assume that at each iteration k , an agent i observes only the proposals of its neighboring agents. Furthermore, we assume that the union of the communication graphs over a time period of length Q is connected. The following assumption is typical for many works in multiagent coordination, e.g., [17, Assump. 3.2].

Assumption 2 (Q-connected graph): For all $k \in \mathbb{N}$, the union graph $(\mathcal{I}, \cup_{l=1}^Q \mathcal{E}^{l+k})$ is strongly connected for some integer $Q \geq 1$. \square

The edges in the communication graph G^k are weighted using an adjacency matrix $W^k = [w_{i,j}^k]$, whose element $w_{i,j}^k$ represents the weight assigned by agent i to the payoff distribution proposed by agent j , \mathbf{x}_j^k . Note that, for some j , $w_{i,j}^k = 0$ implies that $j \notin \mathcal{N}_i^k$; hence, the state of agent i is independent of that of agent j . We assume the adjacency matrix to be doubly stochastic with positive diagonal, as assumed in [17, Assump. 3.3] and [18, Assump. 2, 3].

Assumption 3 (Stochastic adjacency matrix): For all $k \geq 0$, the adjacency matrix $W^k = [w_{i,j}^k]$ of the communication graph G^k satisfies following conditions.

- 1) It is doubly stochastic, i.e., $\sum_{j=1}^N w_{i,j}^k = \sum_{i=1}^N w_{i,j}^k = 1$.
- 2) its diagonal elements are strictly positive, i.e., $w_{i,i}^k > 0, \forall i \in \mathcal{I}$.
- 3) $\exists \gamma > 0$ such that $w_{i,j}^k \geq \gamma$ whenever $w_{i,j}^k > 0$. \square

Assumptions 2 and 3 ensure that the agents communicate sufficiently often to each other and have sufficient influence on the resulting allocation. We further assume that the elements of communication matrix W^k take values from a finite set; hence, finitely many adjacency matrices are available.

Assumption 4 (Finitely many adjacency matrices): The adjacency matrices $\{W^k\}_{k \in \mathbb{N}}$ of the communication graphs belong to \mathcal{W} , a finite family of matrices that satisfy Assumption 3, i.e., $W^k \in \mathcal{W}$ for all $k \in \mathbb{N}$. \square

This assumption on the adjacency matrices allows us to exploit important results from the literature regarding finite families of mappings for proving convergence of our algorithms.

In our setup, at iteration k , each agent i proposes a payoff allocation \mathbf{x}_i^{k+1} , for all agents $j \in \mathcal{I}$, as a convex combination of its estimate \mathbf{x}_i^k and an innovation term. To generate the latter, agent i first takes an average of the observed estimates of its neighbors $\mathbf{x}_j^k, j \in \mathcal{N}_i^k$, weighted by an adjacency matrix, and then applies an operator T_i^k on the evaluated average.

Specifically, we propose the following update rule for each agent $i \in \mathcal{I}$:

$$\mathbf{x}_i^{k+1} = (1 - \alpha_k) \mathbf{x}_i^k + \alpha_k T_i^k \left(\sum_{j=1}^N w_{i,j}^k \mathbf{x}_j^k \right)$$

that is, in collective compact form,

$$\mathbf{x}^{k+1} = (1 - \alpha_k) \mathbf{x}^k + \alpha_k \mathbf{T}^k \mathbf{W}^k (\mathbf{x}^k) \quad (7)$$

where $(\alpha_k)_{k \in \mathbb{N}} \in [\epsilon, 1 - \epsilon]$ for some $\epsilon \in (0, 1/2]$, $\mathbf{T}^k(\mathbf{x}) := \text{col}(T_1^k(\mathbf{x}_1), \dots, T_N^k(\mathbf{x}_N))$, and $\mathbf{W}^k := \mathbf{W}^k \otimes I_N$ represents an adjacency matrix.

In (7), we require the operator T_i^k to be nonexpansive and its fixed-point set to include the robust core in (5). For example, T_i^k can be the projection onto the core, i.e., $T_i^k = \text{proj}_{\mathcal{C}(v^k)}$.

Assumption 5 (Nonexpansiveness): For all $k \in \mathbb{N}$, the operator \mathbf{T}^k in (7) is such that $\mathbf{T}^k \in \mathcal{T}$, where \mathcal{T} is a finite family of nonexpansive operators such that $\bigcap_{\mathbf{T} \in \mathcal{T}} \text{fix}(\mathbf{T}) = \mathcal{C}_0^N$, with \mathcal{C}_0 being the robust core in (5). \square

Let us elaborate on this assumption in context of a robust coalitional game $\mathcal{R} = (\mathcal{I}, \mathcal{V})$, as in Definition 5. Here, for all $k \in \mathbb{N}$, we assume that an instantaneous core $\mathcal{C}(v^k)$ in (4) generated by the value function $v^k \in \mathcal{V}$ is the fixed-point set of an operator T_i^k for all $i \in \mathcal{I}$, which implies that $\text{fix}(\mathbf{T}^k) = \mathcal{C}^N(v^k)$. Consequently, the intersection of the fixed-point sets of the operators $\mathbf{T}^k \in \mathcal{T}$ corresponds to the robust core in (5), i.e., $\bigcap_{\mathbf{T} \in \mathcal{T}} \text{fix}(\mathbf{T}) = \bigcap_{v \in \mathcal{V}} \mathcal{C}^N(v) = \mathcal{C}_0^N$. Furthermore, we note that having a finite family of nonexpansive operators implies that the value function v^k can only take finitely many values within a specified set. This limitation does not pose a significant hindrance in practical scenarios, first, because the number of discrete values inside bounded intervals can be arbitrarily large and, second, because the most common interpretation of value is in a monetary sense, which is always rounded off to some currency division.

Next, we assume that each $\mathbf{T}^k \in \mathcal{T}$ appears at least once in every Q iterations of (7), with Q being the integer in Assumption 2, which can be arbitrarily large.

Assumption 6: Let Q be the integer in Assumption 2. The operators $(\mathbf{T}^k)_{k \in \mathbb{N}}$ in (7) are such that, for all $n \in \mathbb{N}$, $\bigcup_{k=n}^{n+Q} \{\mathbf{T}^k\} = \mathcal{T}$, with \mathcal{T} as in Assumption 5. \square

This assumption ensures that the resulting robust core in (5) corresponds to all the value functions that belong to the family \mathcal{V} . Under Assumptions 1–6, we can guarantee the convergence of the state in iteration (7) to some payoff in the set $\mathcal{A} \cap \mathcal{C}_0^N$, as formalized in the following statement.

Theorem 1 (Convergence of payoff allocation): Let Assumptions 1–6 hold and the step sizes satisfy $\alpha_k \in [\epsilon, 1 - \epsilon]$ for all $k \in \mathbb{N}$, for some $\epsilon > 0$. Then, starting from any $\mathbf{x}^0 \in \mathbb{R}^{N^2}$, the sequence $(\mathbf{x}^k)_{k=0}^\infty$ generated by the iteration in (7) converges to some $\bar{\mathbf{x}} \in \mathcal{A} \cap \mathcal{C}_0^N$, with \mathcal{A} as in (6) and \mathcal{C}_0 being the robust core (5). \square

B. Convergence Analysis

To prove the convergence of the payoff allocation process in (7), we build upon a well-known result on time-varying nonexpansive mappings, presented by Browder in [19]. To proceed, let

us first define the notion of admissible sequence and then recall Browder's result.

Definition 8 (Admissible sequence [19, Def. 5]): A function $j : \mathbb{N}_{>0} \rightarrow \mathcal{D} \subseteq \mathbb{N}_{>0}$ is said to be an admissible sequence of integers in \mathcal{D} if for each integer $r \in \mathcal{D}$, there exists $m(r) \in \mathbb{N}_{>0}$ such that the image under the function j of $m(r)$ successive integers contains r , i.e., $r \in \{j(n), j(n+1), \dots, j(n+m(r))\}$, for all $n \in \text{dom}(j)$. \square

For example, every p -periodic sequence, i.e., $\{j^k\}_{k \in \mathbb{N}}$ where $j^{k+p} = j^k$, is admissible with $m(r) = p$ for all $r \in \text{ran}(j)$ and a sequence $\{j^k = k\}_{k \in \mathbb{N}}$ is a nonadmissible sequence.

Lemma 1 (see [19, Th. 5]): Let $(U_r)_{r \in \mathcal{D}}$, $\mathcal{D} \subseteq \mathbb{N}_{>0}$, be a (finite or infinite) sequence of nonexpansive mappings such that $C = \bigcap_{r \in \mathcal{D}} \text{fix}(U_r) \neq \emptyset$. Let $(\alpha_k)_{k \in \mathbb{N}}$ be a sequence where $\alpha_k \in [\epsilon, 1 - \epsilon]$ for some $\epsilon \in (0, 1/2]$, and let $(j^k)_{k \in \mathbb{N}}$ be an admissible sequence of integers in \mathcal{D} . Then, the sequence $(\mathbf{x}^k)_{k \in \mathbb{N}_{>0}}$ generated by

$$\mathbf{x}^{k+1} := (1 - \alpha_k) \mathbf{x}^k + \alpha_k U_{j^k}(\mathbf{x}^k)$$

converges to some $\bar{\mathbf{x}} \in C$. \square

Next, we recall some useful properties of nonexpansive and paracontraction operators.

Lemma 2 (Doubly stochastic matrix [20, Prop. 5], [21, Prop. 3]): If W is a doubly stochastic matrix, then the linear operator defined by the matrix $W \otimes I_n$ is nonexpansive. Moreover, if the operator $(W \otimes I_n)(\cdot)$ satisfies Assumption 3, then it is also a paracontraction with respect to the mixed vector norm $\|\cdot\|_{2,2}$. \square

The fixed-point sets of nonexpansive and paracontraction operators relate to their compositions as follows.

Lemma 3 (Composition of nonexpansive operators [22, Prop. 4.49]): Let $T_1, T_2 : \mathbb{R}^n \rightarrow \mathbb{R}^n$ be nonexpansive operators with respect to the norm $\|\cdot\|$. Then, the composition $T_1 \circ T_2$ is also nonexpansive with respect to the norm $\|\cdot\|$. Moreover, if either T_1 or T_2 is a paracontraction and $\text{fix}(T_1) \cap \text{fix}(T_2) \neq \emptyset$, then $\text{fix}(T_1 \circ T_2) = \text{fix}(T_1) \cap \text{fix}(T_2)$. \square

Lemma 4 (Composition of paracontracting operators [20, Prop. 1]): Suppose $M_1, M_2 : \mathbb{R}^n \rightarrow \mathbb{R}^n$ are paracontractions with respect to same norm $\|\cdot\|$ and $\text{fix}(M_1) \cap \text{fix}(M_2) \neq \emptyset$. Then, the composition $M_1 \circ M_2$ is a paracontraction with respect to the norm $\|\cdot\|$ and $\text{fix}(M_1 \circ M_2) = \text{fix}(M_1) \cap \text{fix}(M_2)$. \square

The lemmas provided above are convenient operator-theoretic tools that help us in keeping our proofs elegantly brief. Using these tools, let us prove the following lemma, which we exploit later in the proof of Theorem 1.

Lemma 5: Let $\mathbf{T}_1, \dots, \mathbf{T}_q$ be a set of nonexpansive operators with $\bigcap_{r=1}^q \text{fix}(\mathbf{T}_r) = C$. Let the composition of the adjacency matrices that satisfy Assumption 3, i.e., $W_q W_{q-1} \cdots W_1$ represent a strongly connected graph. Let $\mathbf{W}_r := W_r \otimes I_N$. Then, $\bigcap_{r=1}^q \text{fix}(\mathbf{T}_r \mathbf{W}_r) = \mathcal{A} \cap C$, where \mathcal{A} is the consensus set in (6). \square

Proof: By Lemmas 2 and 3, $\text{fix}(\mathbf{T}_r \mathbf{W}_r) = \text{fix}(\mathbf{T}_r) \cap \text{fix}(\mathbf{W}_r)$ hence, $\bigcap_{r=1}^q \text{fix}(\mathbf{T}_r \mathbf{W}_r) = \text{fix}(\mathbf{T}_r) \cap \text{fix}(\mathbf{W}_r) \cap \cdots \cap \text{fix}(\mathbf{T}_1) \cap \text{fix}(\mathbf{W}_1)$. By Lemmas 2 and 4, $\bigcap_{r=1}^q \text{fix}(\mathbf{W}_r) = \text{fix}(\mathbf{W}_q \cdots \mathbf{W}_1)$, where, by the




Fig. 1. Illustration of the payoff allocation proposed by an agent i , as in (8) where $\hat{y}_i^k := \text{overproj}_{\mathcal{C}(v^k)} \hat{x}_i^k$.

Perron–Frobenius theorem, $\text{fix}(\mathbf{W}_q \cdots \mathbf{W}_1) = \mathcal{A}$. Since $\bigcap_{r=1}^q \text{fix}(\mathbf{T}_r) = \mathcal{C}$, we conclude that $\bigcap_{r=1}^q \text{fix}(\mathbf{T}_r \mathbf{W}_r) = \mathcal{A} \cap \mathcal{C}$. ■

Given these results, we are now ready to prove Theorem 1.

Proof: (Theorem 1). Let us define the operator $\mathbf{U}_f := \mathbf{T}_f \mathbf{W}_f$ with $\mathbf{T}_f \in \mathcal{T}$ and $\mathbf{W}_f \in \mathcal{W}$, where $\mathbf{W}_f := \mathbf{W}_f \otimes \mathbf{I}_N$. We note that, by Assumptions 4 and 5, there are only finitely many such operators, and therefore, we can define the operator family $\mathcal{U} := \{\mathbf{U}_f\}_{f=1}^F$. Let $l: \mathcal{U} \rightarrow \mathbb{N}$ be a function such that $l(\mathbf{U}_f)$ gives the maximal length of the sequence, which contains the operator \mathbf{U}_f . Furthermore, let $\mathcal{D} = \{f \mid l(\mathbf{U}_f) < \infty\} \subseteq \{1, \dots, F\}$, i.e., the set of indices of the operators that occur at least once in a finite-length interval. Since F is finite, there always exist an integer representing the length of sequences, in which each index $f \in \mathcal{D}$ appears at least once, thereby fulfilling the admissibility condition in Definition 8. Thus, by Lemmas 1 and 3, the iteration in (7) converges to some $\bar{x} \in \bigcap_{f \in \mathcal{D}} \text{fix}(\mathbf{U}_f)$.

Let \mathcal{K}_L be the interval of a sequence containing L consecutive operators from the family $\{\mathbf{U}_f\}_{f \in \mathcal{D}}$ such that $\bigcap_{k \in \mathcal{K}_L} \text{fix}(\mathbf{U}^k) = \bigcap_{f \in \mathcal{D}} \text{fix}(\mathbf{U}_f)$. As we can choose an arbitrarily long interval, without loss of generality, let $L \geq Q$, with Q being the integer in Assumptions 2 and 6. Then, it holds that $\bigcap_{k \in \mathcal{K}_L} \text{fix}(\mathbf{U}^k) \subseteq \bigcap_{k \in \mathcal{K}_Q} \text{fix}(\mathbf{U}^k)$ because, having a longer interval of operators can either reduce the intersection set or leave it unchanged. Finally, by Lemma 5, $\bigcap_{k \in \mathcal{K}_Q} \text{fix}(\mathbf{U}^k) = \mathcal{A} \cap \mathcal{C}_0^N$. ■

C. Discussion

Let us now visualize a proposal of an agent i in (7) by employing an overprojection operator, i.e., $T_i^k = \text{overproj}_{\mathcal{C}(v^k)}$, which is a nonexpansive operator; see [22, Prop. 4.2]. For brevity, let $\hat{x}_i^k := \sum_{j=1}^N w_{i,j}^k x_j^k$. Then, the proposal of an agent i reads as

$$\mathbf{x}_i^{k+1} = (1 - \alpha_k) \mathbf{x}_i^k + \alpha_k \text{overproj}_{\mathcal{C}(v^k)} \hat{\mathbf{x}}_i^k \quad (8)$$

where $\alpha_k \in [\epsilon, 1 - \epsilon]$ for some $\epsilon \in (0, 1/2]$.

In Fig. 1, we illustrate an arbitrary instance of (8), where the proposed payoff allocation \mathbf{x}_i^{k+1} does not belong to the instantaneous core $\mathcal{C}(v^k)$, and hence, it is not an acceptable payoff, even for agent i . Nevertheless, as stated in Theorem 1, repeated payoff allocations by all agents will eventually reach an agreement on the payoff in the robust core \mathcal{C}_0 . Note that, in a

payoff allocation process, intermediate allocation proposals can be irrational, and therefore, the adoption of this process by a rational agent shall be motivated, e.g., via *mechanism design*, where a central authority incentivize a cooperative behavior among agents to derive the process towards equilibrium.

We remark that the number of possible coalitions grows exponentially in N , i.e., 2^N , hence so does the computations required to evaluate the core by an individual agent. This feature is inherent in coalitional games, where the aim is to democratize systems by providing agents with decision autonomy [14], [23].

IV. DISTRIBUTED BARGAINING PROTOCOL

In this section, we propose a bargaining protocol under a typical negotiation framework and a distributed paradigm, similar to the payoff allocation in Section III. Specifically, at iteration k , each agent $i \in \mathcal{I}$ proposes a payoff distribution that belongs to its negotiation set, referred to as the bounding set \mathcal{X}_i^k in (3). The intersection of negotiation sets represents the set of all plausible deals, i.e., the core and mutual agreement of agents on one such deal concludes the bargaining process. This struck deal corresponds to the final payoff distribution.

A. Distributed Bargaining Algorithm

For our distributed bargaining protocol, we use a similar setup as the payoff allocation algorithm (see Section III-A). Briefly, we consider a set of agents $\mathcal{I} = \{1, \dots, N\}$, each of whom proposes a payoff distribution $\mathbf{x}_i^k \in \mathbb{R}^N$ at each iteration $k \in \mathbb{N}$. These agents communicate over a sequence of time-varying network graphs $(G^k)_{k \in \mathbb{N}}$, which satisfies Assumption 2, and the corresponding adjacency matrices $(W^k)_{k \in \mathbb{N}}$ satisfy Assumptions 3 and 4.

During the negotiation, at each iteration k , an agent i first takes an average of the estimates of neighboring agents $\mathbf{x}_j^k, j \in \mathcal{N}_i^k$, weighted by an adjacency matrix W^k , and then applies an operator M_i^k on the resulting average. Specifically, we propose the following negotiation protocol for each agent $i \in \mathcal{I}$:

$$\mathbf{x}_i^{k+1} = M_i^k \left(\sum_{j=1}^N w_{i,j}^k \mathbf{x}_j^k \right)$$

that is, in collective compact form,

$$\mathbf{x}^{k+1} = \mathbf{M}^k (\mathbf{W}^k \mathbf{x}^k) \quad (9)$$

where $\mathbf{M}^k(\mathbf{x}) := \text{col}(M_1^k(\mathbf{x}_1), \dots, M_N^k(\mathbf{x}_N))$ and $\mathbf{W}^k := W^k \otimes \mathbf{I}_N$ represents an adjacency matrix.

In (9), we require the operator M_i^k to be paracontraction, not necessarily a nonexpansive operator as in (7). Utilizing a paracontraction operator allows us to prove convergence of our bargaining algorithm without the need of α -averaging with the inertial term \mathbf{x}^k , as required for payoff allocation in (7). Furthermore, in (9), we also require the fixed-point set of M_i^k to be the bounding set in (3), i.e., $\text{fix}(M_i^k) = \mathcal{X}_i^k$. Therefore, $\text{fix}(\mathbf{M}^k) = \bigcap_{i=1}^N \mathcal{X}_i^k = \mathcal{C}(v^k)$, and for a robust coalitional game $(\mathcal{I}, \mathcal{V})$, it holds that $\bigcap_{i,k \in \mathcal{V}} \mathcal{C}(v^k) = \mathcal{C}_0$.

Assumption 7 (Paracontractions): For all $k \in \mathbb{N}$, \mathbf{M}^k in (9) is such that $\mathbf{M}^k \in \mathcal{M}$, where \mathcal{M} is a finite family of

paracontraction operators such that $\bigcap_{M \in \mathcal{M}} \text{fix}(M) = \mathcal{C}_0^N$, with \mathcal{C}_0 being the robust core in (5). \square

Similar to the payoff allocation setup, we also assume that each $M^k \in \mathcal{M}$ appears at least once in every Q iterations of (9), with Q being the integer in Assumption 2.

Assumption 8: Let Q be the integer in Assumption 2. The operators $(M^k)_{k \in \mathbb{N}}$ in (9) are such that, for all $n \in \mathbb{N}$, $\bigcup_{k=n}^{n+Q} \{M^k\} = \mathcal{M}$, with \mathcal{M} as in Assumption 7. \square

Next, we formalize the main convergence result of the bargaining protocol in (9).

Theorem 2 (Convergence of bargaining protocol): Let Assumptions 1–4, 7, and 8 hold. Then, starting from any $x^0 \in \mathbb{R}^{N^2}$, the sequence $(x^k)_{k=0}^\infty$ generated by the iteration in (9) converges to some $\bar{x} \in \mathcal{A} \cap \mathcal{C}_0^N$, with \mathcal{A} as in (6) and \mathcal{C}_0 being the robust core (5). \square

B. Convergence Analysis

We prove the convergence of the bargaining protocol in (9) by building upon a result related to the time-varying paracontractions, presented in [24].

Lemma 6 (see [24, Th. 1]): Let \mathcal{M} be a finite family of paracontractions such that $\bigcap_{M \in \mathcal{M}} \text{fix}(M) \neq \emptyset$. Then, the sequence $(x^k)_{k \in \mathbb{N}}$ generated by $x^{k+1} := M^k(x^k)$ converges to a common fixed point of the paracontractions that occur infinitely often in the sequence. \square

In the following lemma, we provide a technical result about the composition of paracontractions, which we exploit later in the proof of Theorem 2.

Lemma 7: Let Q be the integer in Assumption 2. Let M_1, \dots, M_Q be paracontraction operators with $\bigcap_{r=1}^Q \text{fix}(M_r) =: C$ and let $W_Q W_{Q-1} \dots W_1$ be the composition of the adjacency matrices, where $W_r \in \mathcal{W}$, with \mathcal{W} as in Assumption 4. Let $W_r := W_r \otimes I_N$. Then, the composed mapping $x \mapsto (M_Q W_Q \circ \dots \circ M_1 W_1)(x)$:

- i) is a paracontraction with respect to norm $\|\cdot\|_{2,2}$;
- ii) $\text{fix}(M_Q W_Q \circ \dots \circ M_1 W_1) = \mathcal{A} \cap C$;

where \mathcal{A} is the consensus set in (6). \square

Proof: (i) It follows directly from Lemmas 2 and 4.

(ii) By Lemmas 2 and 4, $\text{fix}(M_Q W_Q \circ \dots \circ M_1 W_1) = \text{fix}(M_Q) \cap \dots \cap \text{fix}(M_1) \cap \text{fix}(W_Q) \cap \dots \cap \text{fix}(W_1)$.

Again, by Lemmas 2 and 4, $\bigcap_{r=1}^Q \text{fix}(W_r) = \text{fix}(W_Q \dots W_1)$ and since the composition $W_Q \dots W_1$ is strongly connected, by the Perron–Frobenius theorem, $\text{fix}(W_Q \dots W_1) = \mathcal{A}$. Finally, as $\bigcap_{r=1}^Q \text{fix}(M_r) = C$, $\text{fix}(M_Q W_Q \circ \dots \circ M_1 W_1) = \mathcal{A} \cap C$. \blacksquare

Given these preliminary results, we are now ready to present the proof of Theorem 2.

Proof: (Theorem 2) Let us define the subsequence of x^k for all $k \in \mathbb{N}$ as $z^t = x^{(t-1)Q}$ for each $t \geq 2$, with Q being the integer in Assumptions 2 and 8. Then

$$z^{t+1} = M^{tQ-1} W^{tQ-1} \circ \dots \circ M^{(t-1)Q} W^{(t-1)Q} z^t \quad (10)$$

for $t \geq 2$. It follows from assertion 1 of Lemma 7 that the maps $x \mapsto (M^{tQ-1} W^{tQ-1} \circ \dots \circ M^{(t-1)Q} W^{(t-1)Q})(x)$, $t \geq 2$ are all paracontractions. Also, under Assumption 4, there can be only finitely many such maps. Furthermore, by assertion 2 of

Lemma 7, the set of fixed points of each map is $\mathcal{A} \cap \mathcal{C}^N$. Thus, by Lemma 6, the iteration in (10) converges to some $\bar{z} \in \mathcal{A} \cap \mathcal{C}^N$. \blacksquare

C. Discussion

In our proposed bargaining process in (9), let $M^k = \text{proj}_{\mathcal{X}^k}$, for all $k \in \mathbb{N}$, which is a paracontraction [22, Prop. 4.16]. Then, the resulting iteration, i.e., $x^{k+1} = \text{proj}_{\mathcal{X}^k}(W^k x^k)$, reduces to the bargaining protocol presented in [14]. In that setup, the communication graphs and adjacency matrices also satisfy our Assumptions 2 and 3, respectively. The bargaining algorithm in [14] lies within our bargaining framework, but with the exception that, in our setup, the value function v^k can only take finitely many values in a bounded set. We emphasize that our framework provides an agent with the flexibility to choose a paracontraction operator, not necessarily a projection. This allows an agent to propose a payoff on the boundary or in the interior of its bounding set.

Finally, we note that in the bargaining process, each agent requires the coalitional value bounds of his coalitions only to evaluate the bounding set, hence lower information requirement compared to the payoff allocation in Section III.

V. NUMERICAL SIMULATIONS

In this section, we present numerical illustrations of two realistic scenarios modeled as coalitional games with uncertain coalitional values. In the first scenario, we present a collaboration among three firms for providing abstract services; in the second scenario, we simulate the motivational application introduced in Section I. Our goal for presenting the former is to illustrate the robust core and to differentiate between the structure of payoff allocation and bargaining processes during the negotiation stages. Therefore, we use only three agents (firms) to be able to illustrate the outcome graphically in dimension 2. Furthermore, in the second simulation scenario, we demonstrate a more comprehensive application, namely, cooperative ES optimization in a smart grid framework.

A. Illustrative Example

Consider three firms $\mathcal{I} = \{1, 2, 3\}$, which individually provide certain services to their customers. These firms can improve their efficiency by collaborating activities and, hence, generate a higher value. This collective value is a remuneration of services agreed upon by a customer and the coalition of firms in advance. To make this collaboration viable, all three firms have to agree upon their share of the generated value. The resulting scenario is a coalitional game among firms, a solution to which is an agreed payoff distribution in the core.

The core allocation in (4) depends on the value of all possible subcoalitions. In our example, the firms know with certainty about their individual values $v(\{i\})$ and the value of the grand coalition $v(\mathcal{I})$, i.e., the final contract. However, the subcoalitions are never formed, and hence, their values are unknown. We assume that the values of the subcoalitions are random within a bounded interval. Under the above conditions, the coalitional game among the three firms takes the form of a robust coalitional

TABLE I
COALITIONAL VALUES FOR THE ILLUSTRATIVE EXAMPLE

$v(\{i\}), i \in \mathcal{I}$	$v(\{1, 2\})$	$v(\{1, 3\})$	$v(\{2, 3\})$	$v(\{1, 2, 3\})$
1	{2, 3, 4}	{2, 3, 4}	{3, 4, 5}	8




Fig. 2. Three instances of the core set, C_0, C', C'' , and final payoff allocation \bar{x} .

game. Thus, we can apply the robust payoff distribution methods proposed in Sections III and IV.

The coalitional values of this coalitional game among firms are given in Table I. For example, at each iteration k , the value function of the coalition $\{1, 2\}$, i.e., $v(\{1, 2\})$, takes its value randomly from the set $\{2, 3, 4\}$ with uniform probability. The possibility of realizing only an integer value, with uniform probability, satisfies the assumption of finite operator families in Theorems 1 and 2 and also ensures that the resulting sequence satisfies Assumption 6. Furthermore, we consider a fixed strongly connected communication graph, which, therefore, satisfies Assumptions 2–4. For the initial proposals, we assume that each agent allocates the entire value of coalition to itself, e.g., the initial proposal by firm 1 will be $x_1(1) = [8 \ 0 \ 0]^T$. Next, we evaluate the payoff distributions generated by the payoff allocation algorithm in (7) and the bargaining protocol in (9).

1) Distributed Payoff Allocation: For implementation, we choose an overprojection operator, which is nonexpansive, and the step size $\alpha_k = 0.5$ for all $k \in \mathbb{N}$. The resulting iteration for each agent i is as in (8). In Fig. 2, we depict two arbitrary instances of the core set C', C'' and the robust core C_0 in (5). The allocation process in (7) converges to consensus on the payoff allocation, $\bar{x} = [2.4, 3, 2.6]$, which belongs to the robust core, i.e., $\mathcal{A} \cap C_0^N$. An allocation in the robust core ensures that even under uncertainty on coalitional values, the collaboration will emerge as the only rational choice. We note that, in the payoff allocation process, each firm does not need to have deterministic information of the core, which is weaker from the usual assumption of coalitional games [23]. In fact, here, the firms only know the bounds on coalitional values.

2) Distributed Bargaining Protocol: We implement the iteration in (9), by using the projection operator, which is a paracontraction, and therefore, it satisfies the assumptions of Theorem 2. In Fig. 3, we show an arbitrary negotiation step during the bargaining process. Here, a firm i agrees with the payoff distribution only if it belongs to its bounding set \mathcal{X}_i . Thus, any mutually agreed payoff distribution must belong to the intersection of bounding sets, i.e., $\mathcal{C} = \bigcap_{i \in \mathcal{I}} \mathcal{X}_i$. Because




Fig. 3. Instance of bargaining process showing the bounding sets of the agents, $\mathcal{X}_1, \mathcal{X}_2, \mathcal{X}_3$, and the robust core $C_0 = \bigcap_{i \in \mathcal{I}} \mathcal{X}_i$. \bar{x} is the final payoff vector.

of the uncertainty in the values of subcoalitions, the bounding sets vary with iterations resulting in an instantaneous core as in (4). The bargaining process in (9) ensures convergence to the intersection of the instantaneous cores, i.e., the robust core C_0 in (5). Thus, in our example, the resulting payoff distribution $\bar{x} = [2.33, 2.833, 2.833]$ belongs to the set $\mathcal{A} \cap C_0^N$.

Compared with the payoff allocation process, the knowledge requirement for the firms in the bargaining protocol is even weaker. Here, the firms are required to know the bounds on the values of their own subcoalitions only, which is a reasonable assumption for a cooperation scenario.

B. Cooperative ES Optimization

In this subsection, we simulate the cooperative ES optimization problem described in Section I as a motivational example. We partially adapt the optimization setup from [2] and, additionally, introduce uncertainty in the RES generation.

1) Problem Setup: Consider N prosumers in an energy coalition \mathcal{I} , each equipped with RES generation and ES system. Our goal is to cooperatively optimize ES systems, by considering them as a single collective storage, for minimizing the coalitional cost in (1) and, distribute the resulting cost savings, i.e., coalitional value in (2) among prosumers. Moreover, the share of each prosumer, i.e., the payoff should belong to the robust core in (5). We compute the coalitional value of each coalition $S \subseteq \mathcal{I}$ for a time period of length K by solving a linear optimization problem. We assume that the ES system of each prosumer i has an energy capacity of $e_i \geq 0$, a charge and discharge limit, $\bar{b}_i \geq 0$ and $\underline{b}_i \geq 0$, respectively, and a charge and discharge efficiency η_i^{ch} and $\eta_i^{\text{dc}} \in (0, 1)$, respectively. We also consider an initial state of charge for each ES, $\text{SoC}_i^0 \in [0, 1]$, where 1 represents a fully charged battery. We denote the amount of energy stored and released from agent i 's ES during time t by b_i^{t+} and b_i^{t-} , respectively.

Next, let us denote the vectors representing charge and discharge energies of all prosumers by \mathbf{b}^- and \mathbf{b}^+ . Moreover, because of the difference in buying and selling prices of electricity, let us divide the coalitional net load into a positive part \mathbf{L}^+ , which corresponds to the energy bought from the grid, and a nonpositive part \mathbf{L}^- , which represents the energy sold to the grid. These four vectors are the decision variables of our ES




Fig. 4. (a) Sampled average of the trajectories of $\text{dist}(\mathbf{x}^k, \mathcal{A} \cap \mathcal{C}_0^N)/\text{dist}(\mathbf{x}^0, \mathcal{A} \cap \mathcal{C}_0^N)$ for distributed allocation algorithm with operator $\text{proj}_{\mathcal{C}(v^k)}$ for $\alpha = 1/5, 4/5$ and $\text{overproj}_{\mathcal{C}(v^k)}$ for $\alpha = 1/5, 4/5$. (b) Sampled average of selected trajectories with spread of samples shown by shaded region.

optimization problem that computes the coalitional cost $c(S)$ for each coalition $S \subseteq \mathcal{I}$ as follows:

$$\min_{\substack{\mathbf{b}^+, \mathbf{b}^-, \\ \mathbf{L}^+, \mathbf{L}^-}} \sum_{t=1}^K \left\{ p_b^t \sum_{i \in S} L_i^{t+} + p_S^t \sum_{i \in S} L_i^{t-} \right\} \quad (11a)$$

$$\text{s.t. } L_i^{t-} \leq 0 \leq L_i^{t+} \quad (11b)$$

$$\sum_{i \in S} (b_i^{t+} + b_i^{t-} + q_i^t) \leq \sum_{i \in S} L_i^{t+} \quad (11c)$$

$$\sum_{i \in S} (b_i^{t+} + b_i^{t-} + q_i^t) = \sum_{i \in S} (L_i^{t+} + L_i^{t-}) \quad (11d)$$

$$\underline{b}_i \leq b_i^{t-} \leq 0 \leq b_i^{t+} \leq \bar{b}_i \quad (11e)$$

$$\sum_{t=1}^K (b_i^{t+} \eta_i^{\text{ch}} + b_i^{t-} / \eta_i^{\text{dc}}) = 0 \quad \forall i \in S \quad (11f)$$

$$0 \leq e_i \text{SoC}_i^0 + \sum_{t=1}^m (b_i^{t+} \eta_i^{\text{ch}} + b_i^{t-} / \eta_i^{\text{dc}}) \leq e_i \quad (11g)$$

$$\forall i \in S, \forall t \in [1, K] \forall m \in [1, K].$$

The constraints (11e)–(11g) are related to the physical limitations of ES systems. Specifically, (11e) represents the limitation on the rate of charge/discharge, (11g) represents ES capacity, and (11f) ensures that the state of charge of each ES at the end of the horizon K is same as the initial, i.e., $\text{SoC}_i^K = \text{SoC}_i^0$. For further details, we refer to [2].

To proceed, we introduce uncertainty in the net energy consumption q_i^t , since the generation of RES is uncertain. However, q_i^t can only realize values from the interval $[q_i^{\min}, q_i^{\max}]$, as




Fig. 5. (a) Sampled average of the trajectories of $\text{dist}(\mathbf{x}^k, \mathcal{A} \cap \mathcal{C}_0^N)/\text{dist}(\mathbf{x}^0, \mathcal{A} \cap \mathcal{C}_0^N)$ for distributed bargaining with operator $\text{proj}_{\mathcal{X}^k}$ and $T_{\mathcal{X}^k} := (1 - \beta)\text{proj}_{\mathcal{X}^k}(\cdot) + \beta\text{overproj}_{\mathcal{X}^k}(\cdot)$ for $\beta = 1/5, 4/5$. (b) Sampled average of trajectories with spread of samples shown by shaded region.

explained in Section I. Here, these bounds refer to the optimistic and conservative forecasts.

2) ES Optimization as a Robust Coalitional Game: Let us now put the optimization setup, presented above, in the perspective of the payoff distribution problem. At the first stage, the grand prosumer coalition \mathcal{I} optimizes their energy operation collectively via an aggregator over a time horizon of length K and sells any expected excess of energy (available at each time interval t) to the retailer. The coalition performs this process in advance and gets remunerated by the retailer. The additional value gained by the coalition as a result of the cooperation is given by (2). At the second stage, the attained coalitional value, i.e., $v(\mathcal{I})$, is distributed among the agents so that the payoff to each agent belongs to the robust core in (5). Thus, for the payoff distribution, an aggregator computes the value $v(S)$ for all $S \subset \mathcal{I}$ by solving the optimization problem presented above. To account for the uncertainty in the RES generation, the aggregator computes the bounds on the coalitional values as $\underline{v}(S) \leq v(S) \leq \bar{v}(S)$, $S \subset \mathcal{I}$ and communicates the vector v containing these bounds to all the agents, who in turn initiate the payoff distribution process. We remark that a central entity is not necessarily required for the evaluation of coalitional values, except for the grand coalition.

This scenario with uncertainty requires a robust solution and thus demonstrates the practicality of our payoff distribution algorithms. Furthermore, since the core set is not a singleton, it is possible that certain payoff vectors favor some specific agents [16]. Consequently, a central computation of the payoffs might be unacceptable for the prosumers. Instead, distributed

mechanisms defer this responsibility on the prosumers as they arrive at a mutual agreement by themselves.

3) Simulations Studies: For the numerical simulation, we select a time horizon of $K = 6$ h and an interval $t = 1$ h. We consider a coalition of six prosumers, where each prosumer i is equipped with the battery of energy capacity $e_i = 7$ kWh, a maximum charge power $\bar{b}_i = 3.5$ kW, a maximum discharge power $\underline{b}_i = 3.5$ kW, both charge and discharge efficiencies of $\eta_i^{\text{ch}} = \eta_i^{\text{dc}} = 95\%$, and an initial state of charge $\text{SoC}_i^0 = 50\%$. We put the bounds of optimistic and conservative forecast on the RES generation of each agent and randomly generate net consumption scenarios. We then evaluate the coalitional value in (2) for each scenario and compute the bounds $\underline{v}(S)$ and $\bar{v}(S)$, $S \subset \mathcal{I}$. We then run 100 different trajectories of payoff distribution processes. We assume, for each trajectory, that agents initially allocate the whole value $v(\mathcal{I})$ to themselves. Also, to make sure that every prosumer's payoff proposal receives adequate importance and sufficient exposure, during negotiation, we assume a strongly connected communication graph among them, which satisfies Assumptions 2 and 3. Furthermore, as the coalitional value in cooperative energy optimization is in monetary terms, the prosumers consider reasonably rounded of units (dollars, cents, etc.), which results in a finite set of points between the bounds $\underline{v}(S)$ and $\bar{v}(S)$, according to Assumption 6.

Moreover, for the distributed allocation process in (7), the whole coalitional value vector v is communicated to the agents, whereas, for the bargaining process in (9), only the value of agent's own coalitions is communicated. Finally, the agents initiate a robust coalitional game to reach the consensus on a payoff, which belongs to the robust core in (5). This payoff guarantees the stability of the grand coalition, which, in turn, has considerable operational benefits for the power grid [2].

We first report the numerical results for the distributed allocation process. In Fig. 4(a), we compute the average of the sample trajectories obtained by 100 runs and report the normalized distances $\text{dist}(\mathbf{x}(k), \mathcal{C}_0 \cap \mathcal{A}) / \text{dist}(\mathbf{x}(0), \mathcal{C}_0 \cap \mathcal{A})$, for the projection and overprojection operators, by varying the parameter α . We can observe that an overprojection operator with higher value of α results in faster convergence. In Fig. 4(b), we provide the spread of the sample trajectories to depict the best and worst convergence scenarios in our sample set.

Finally, we simulate the distributed bargaining process in (9) and report the average of the sample trajectories. In Fig. 5(a), we show the comparison of the normalized distances. We conduct the analysis by utilizing the projection operator and the convex combination of projection and overprojection operators, i.e., $T_{\mathcal{X}^k} := (1 - \beta)\text{proj}_{\mathcal{X}^k}(\cdot) + \beta\text{overproj}_{\mathcal{X}^k}(\cdot)$ for varying β . Both the operators are paracontraction operators [22]. Fig. 5(b) shows the spread of the sample trajectories.

VI. CONCLUSION

In this article, we have addressed the problem of payoff distribution in robust coalitional games over time-varying networks, where the goal is to make players reach a consensus on the payoff distribution that belongs to the robust core. We have shown that

distributed payoff allocation and bargaining algorithms, with known coalitional value bounds and based on nonexpansive and paracontraction operators, e.g., overprojections, and network averaging converge consensually to the robust core, even with varying coalitional values.

REFERENCES

- [1] R. B. Myerson, *Game Theory*. Cambridge, MA, USA: Harvard Univ. Press, 2013.
- [2] L. Han, T. Morstyn, and M. McCulloch, "Constructing prosumer coalitions for energy cost savings using cooperative game theory," in *Proc. IEEE Power Syst. Comput. Conf.*, 2018, pp. 1–7.
- [3] P. Chakraborty, E. Baeyens, K. Poolla, P. P. Khargonekar, and P. Varaiya, "Sharing storage in a smart grid: A coalitional game approach," *IEEE Trans. Smart Grid*, vol. 10, no. 4, pp. 4379–4390, Jul. 2019.
- [4] W. Saad, Z. Han, M. Debbah, A. Hjørungnes, and T. Başar, "Coalitional game theory for communication networks," *IEEE Signal Process. Mag.*, vol. 26, no. 5, pp. 77–97, Sep. 2009.
- [5] F. Fele, J. Maestre, and E. Camacho, "Coalitional control: Cooperative game theory and control," *IEEE Control Syst. Mag.*, vol. 37, no. 1, pp. 53–69, Feb. 2017.
- [6] L. S. Shapley, "A value for n-person games," *Contributions Theory Games*, vol. 2, no. 28, pp. 307–317, 1953.
- [7] M. Maschler, "The bargaining set, kernel, and nucleolus," in *Handbook of Game Theory With Economic Applications*, vol. 1. Amsterdam, Netherlands: Elsevier, 1992, pp. 591–667.
- [8] A. A. Raja and S. Grammatico, "On the approachability principle for distributed payoff allocation in coalitional games," in *Proc. 21st IFAC World Congr.*, 2020.
- [9] J. A. Filar and L. A. Petrosjan, "Dynamic cooperative games," *Int. Game Theory Rev.*, vol. 2, no. 01, pp. 47–65, 2000.
- [10] E. Lehrer and M. Scarsini, "On the core of dynamic cooperative games," *Dyn. Games Appl.*, vol. 3, no. 3, pp. 359–373, 2013.
- [11] L. Kranich, A. Perea, and H. Peters, "Core concepts for dynamic TU games," *Int. Game Theory Rev.*, vol. 7, no. 1, pp. 43–61, 2005.
- [12] D. Bauso and J. Timmer, "Robust dynamic cooperative games," *Int. J. Game Theory*, vol. 38, no. 1, pp. 23–36, 2009.
- [13] S. Z. Alparslan-Goek, S. Miquel, and S. H. Tijs, "Cooperation under interval uncertainty," *Math. Meth. Oper. Res.*, vol. 69, no. 1, pp. 99–109, 2009.
- [14] A. Nedich and D. Bauso, "Dynamic coalitional TU games: Distributed bargaining among players' neighbors," *IEEE Trans. Autom. Control*, vol. 58, no. 6, pp. 1363–1376, Jun. 2013.
- [15] E. Baeyens, E. Y. Bitar, P. P. Khargonekar, and K. Poolla, "Coalitional aggregation of wind power," *IEEE Trans. Power Syst.*, vol. 28, no. 4, pp. 3774–3784, Nov. 2013.
- [16] D. Schmeidler, "The nucleolus of a characteristic function game," *SIAM J. Appl. Math.*, vol. 17, no. 6, pp. 1163–1170, 1969.
- [17] A. Nedic, A. Olshevsky, and W. Shi, "Achieving geometric convergence for distributed optimization over time-varying graphs," *SIAM J. Optim.*, vol. 27, no. 4, pp. 2597–2633, 2017.
- [18] A. Nedic, A. Ozdaglar, and P. A. Parrilo, "Constrained consensus and optimization in multi-agent networks," *IEEE Trans. Autom. Control*, vol. 55, no. 4, pp. 922–938, Apr. 2010.
- [19] F. E. Browder, "Convergence theorems for sequences of nonlinear operators in Banach spaces," *Math. Zeitschrift*, vol. 100, no. 3, pp. 201–225, 1967.
- [20] D. Fullmer and A. S. Morse, "A distributed algorithm for computing a common fixed point of a finite family of paracontractions," *IEEE Trans. Autom. Control*, vol. 63, no. 9, pp. 2833–2843, Sep. 2018.
- [21] S. Grammatico, "Proximal dynamics in multiagent network games," *IEEE Control Netw. Syst.*, vol. 5, no. 4, pp. 1707–1716, Dec. 2018.
- [22] H. H. Bauschke and P. L. Combettes, *Convex Analysis and Monotone Operator Theory in Hilbert Spaces*, 2nd ed. Berlin, Germany: Springer, 2017.
- [23] D. Bauso and G. Notarstefano, "Distributed n-player approachability and consensus in coalitional games," *IEEE Trans. Autom. Control*, vol. 60, no. 11, pp. 3107–3112, Nov. 2015.
- [24] L. Elsner, I. Koltracht, and M. Neumann, "Convergence of sequential and asynchronous nonlinear paracontractions," *Numer. Math.*, vol. 62, no. 1, pp. 305–319, 1992.