

## Correction

**Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method (Microsystems & Nanoengineering, (2023), 9, 1, (63), 10.1038/s41378-023-00532-0)**

Hong, Hao; Wei, Jiangtao; Lei, Xin; Chen, Haiyun; Sarro, Pasqualina M.; Zhang, Guoqi; Liu, Zewen

## DOI

[10.1038/s41378-023-00564-6](https://doi.org/10.1038/s41378-023-00564-6)

## Publication date

2023

## Document Version

Final published version

## Published in

Microsystems and Nanoengineering

## Citation (APA)

Hong, H., Wei, J., Lei, X., Chen, H., Sarro, P. M., Zhang, G., & Liu, Z. (2023). Correction: Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method (Microsystems & Nanoengineering, (2023), 9, 1, (63), 10.1038/s41378-023-00532-0). *Microsystems and Nanoengineering*, 9(1), Article 98. <https://doi.org/10.1038/s41378-023-00564-6>

## Important note

To cite this publication, please use the final published version (if applicable).  
Please check the document version above.

## Copyright

Other than for strictly personal use, it is not permitted to download, forward or distribute the text or part of it, without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license such as Creative Commons.

## Takedown policy

Please contact us and provide details if you believe this document breaches copyrights.  
We will remove access to the work immediately and investigate your claim.

CORRECTION

Open Access

# Correction: Study on the controllability of the fabrication of single-crystal silicon nanopores/nanoslits with a fast-stop ionic current-monitored TSWE method

Hao Hong, Jiangtao Wei, Xin Lei, Haiyun Chen, Pasqualina M. Sarro, Guoqi Zhang and Zewen Liu

Correction to: *Microsystems & Nanoengineering*  
<https://doi.org/10.1038/s41378-023-00532-0>  
published online 16 May 2023

The original paper has been updated.

Published online: 25 July 2023

Correction Following publication of the original article<sup>1</sup>, it was noticed that the phrase ‘DNA sequencing’ is incorrect, which should be replaced by ‘biosensing’.

#### Reference

1. Hong, H. et al. *Microsyst Nanoeng* **9**, 63, <https://doi.org/10.1038/s41378-023-00532-0> (2023).

